

SAFETY DATA SHEET



ACL® 90 PLUS CHLORINATING COMPOSITION

North America EN
SDS No.: M31035

Rev. Date: 30-Sep-2025
Rev. Num. 12

SECTION 1. CHEMICAL PRODUCT / COMPANY IDENTIFICATION

Company Identification:	Occidental Chemical Corporation 14555 Dallas Parkway, Suite 400 Dallas, Texas 75254-4300
24-Hour Emergency Telephone Number:	1-800-733-3665 (USA); CANUTEC (Canada): 1-613-996-6666; CHEMTREC (within USA and Canada): 1-800-424-9300; CHEMTREC (outside USA and Canada): +1 703-527-3887; CHEMTREC Contract No: CCN16186
To Request an SDS:	MSDS@oxy.com or 1-972-404-3245
Customer Service:	1-800-752-5151 or 1-972-404-3700
Product Identifier:	ACL® 90 PLUS CHLORINATING COMPOSITION
Synonyms:	Trichloroisocyanuric Acid (TCCA); Trichloro-s-triazinetriene; 1,3,5-Triazine-2,4,6-(1H,3H,5H)-trione,1,3,5-trichloro-; Symclosene; Trichlor
Product Use:	This product is intended for repackaging and formulating as a microbicide/microbistat, disinfectant, sanitizer, bactericide, fungicide or algacide into end-use products for the following general use sites, aquatic non-food industrial, aquatic non-food residential, indoor food, indoor non-food, and indoor residential
Uses Advised Against:	- This is a pesticide product; do not use it in a pesticide application that is not included on its label
Restrictions on Use (United States):	<ul style="list-style-type: none">• This is a pesticide product; do not use in a pesticide application that is not approved by the EPA• EPA Reg. No. 935-37 (ACL® 90 Plus Chlorinating Composition)• Re-packers or formulators using this product are responsible for obtaining EPA registration of their products
Restrictions on Use (EU):	Trichloro-s-triazinetriene: 01-2120767978-27-xxxx (Article 95 authorized: PT 2/3/4/5/11). When purchased for use as a biocide in the EU, other restrictions on

ACL® 90 PLUS CHLORINATING COMPOSITION

SDS No.: M31035
Supersedes Date: 2025-25-August

Rev. Date: 30-Sep-2025
Rev. Num. 12

use based on local, regional, or national regulations may exist and must be determined on a case-by-case basis.

Other Global Restrictions on Use: This product is registered as a biocide in Canada under PCP Reg No.18228 - (ACL 90 Plus Chlorinating Composition). Other restrictions on use based on local, regional, or national regulations may exist and must be determined on a case-by-case basis.

Chemical Family: CHLORINATED ISOCYANURATES

Note: This product is a registered pesticide: US EPA: 935-37 and Canada PCP:18228.

Additional Information: Re-packers or formulators are responsible for obtaining and maintaining all required and applicable registrations of their products: (EPA, PMRA, BPD/BPR, state, etc.).

SECTION 2. HAZARDS IDENTIFICATION

OSHA REGULATORY STATUS: This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

HEALTH CANADA HPR REGULATORY STATUS: This material is considered hazardous by the Health Canada Hazardous Products Act's Hazardous Products Regulations (HPR) (SOR/2015-17).

EMERGENCY OVERVIEW:

Color: White
Physical State: Solid
Appearance: Granules, Crystals
Odor: Slight chlorine odor

Signal Word: **DANGER**

MAJOR HEALTH HAZARDS: CAUSES SEVERE SKIN BURNS AND EYE DAMAGE. CAUSES SERIOUS EYE DAMAGE. HARMFUL IF SWALLOWED. MAY CAUSE RESPIRATORY IRRITATION.

PHYSICAL HAZARDS: MAY INTENSIFY FIRE; OXIDIZER. Contact with acids liberates toxic gas.

AQUATIC TOXICITY: Very toxic to aquatic life with long lasting effects.

PRECAUTIONARY STATEMENTS: Do not breathe dusts or mists. Wash hands and exposed skin and clothing thoroughly after handling. Do not touch eyes. Do not eat, drink, or smoke when using this product. Use only outdoors or in a well-ventilated area. Avoid release to the environment. Wear protective gloves, protective clothing, eye, and

ACL® 90 PLUS CHLORINATING COMPOSITION

SDS No.: M31035
Supersedes Date: 2025-25-August

Rev. Date: 30-Sep-2025
Rev. Num. 12

face protection. Keep away from heat, sparks, open flames, hot surfaces - No smoking. Keep/Store away from clothing and other combustible materials. Take precautions to avoid mixing with combustibles, acids, ammonia, bases, floor sweeping compounds, calcium hypochlorite, reducing agents, organic solvents and compounds.

ADDITIONAL HAZARD INFORMATION: Do not get water inside container; damp or wet material may generate nitrogen trichloride, an explosion hazard. The product is an Oxidizer classified under GHS and/or CLP as hazard class 2 and may intensify fires. Contact with water slowly liberates irritating and hazardous chlorine containing gases. Products exceeding 225 °C (437 °F) will decompose with liberation of toxic gases and possible fire and explosion. May cause burns to moist skin if not promptly removed. There is no specific antidote. To treat contacted tissue, flush with water to dilute. Inhalation of respirable fraction (e.g., typically <10 microns) of this material may cause toxic effects.

HAZARD CLASSIFICATION:

GHS: PHYSICAL HAZARDS:	Oxidizing Solid - Category 2 - May intensify fire; oxidizer
GHS: CONTACT HAZARD - SKIN:	Category 1 - Causes severe skin burns and eye damage
GHS: CONTACT HAZARD - EYE:	Category 1 - Causes serious eye damage
GHS: ACUTE TOXICITY - ORAL:	Category 4 - Harmful if swallowed
GHS: TARGET ORGAN TOXICITY (SINGLE EXPOSURE):	- Category 3 - May cause respiratory tract irritation
HAZARDS NOT OTHERWISE CLASSIFIED (HNOC):	- AQUATIC TOXICITY - ACUTE: Category 1 (Very toxic to aquatic life) - AQUATIC TOXICITY - CHRONIC: Category 1 (Very toxic to aquatic life with long lasting effects)
GHS: SUPPLEMENTAL HAZARD:	- Contact with acids liberates toxic gas

Unknown Acute Oral Toxicity:

100% of this product consists of ingredient(s) of known acute oral toxicity.

Unknown Acute Dermal Toxicity:

100% of this product consists of ingredient(s) of known acute dermal toxicity.

Unknown Acute Inhalation Toxicity:

100% of this product consists of ingredient(s) of known acute inhalation toxicity.

GHS SYMBOL: Oxidizer, Corrosion, Exclamation mark, Environmental hazard



GHS SIGNAL WORD: DANGER

GHS HAZARD STATEMENTS:**GHS - Physical Hazard Statement(s)**

- May intensify fire; oxidizer

GHS - Health Hazard Statement(s)

ACL® 90 PLUS CHLORINATING COMPOSITION

SDS No.: M31035
Supersedes Date: 2025-25-August

Rev. Date: 30-Sep-2025
Rev. Num. 12

- Causes severe skin burns and eye damage
- Harmful if swallowed
- May cause respiratory irritation

Additional Hazards - GHS Hazards Not Otherwise Classified (HNOC):

- ACUTE AQUATIC HAZARD - CATEGORY 1: Very toxic to aquatic life
- CHRONIC AQUATIC HAZARD - CATEGORY 1: Very toxic to aquatic life with long lasting effects

GHS - Precautionary Statement(s) - Prevention

- Keep away from heat
- Keep away from combustible materials
- Take precautions to avoid mixing with combustibles, acids, ammonia, bases, floor sweeping compounds, calcium hypochlorite, reducing agents, organic solvents and compounds
- Do not breathe dusts or mists
- Wash hands and exposed skin and clothing thoroughly after handling. Do not touch eyes
- Do not eat, drink, or smoke when using this product
- Use only outdoors or in a well-ventilated area
- Wear protective gloves, protective clothing, eye, and face protection
- Avoid release to the environment

GHS - Precautionary Statement(s) - Response

- IF SWALLOWED: Rinse mouth. Do NOT induce vomiting
- IF SWALLOWED: Get medical help
- IF INHALED: Remove person to fresh air and keep comfortable for breathing
- IF INHALED: Get medical help if you feel unwell
- IF ON SKIN: Take off immediately all contaminated clothing. Immediately rinse with water for several minutes
- IF ON SKIN: Get medical help immediately
- Wash contaminated clothing before reuse
- IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- IF IN EYES: Get medical help
- Specific treatment for skin or eye contact (see "Notes to Physician" in Section 4 of the SDS)
- In case of fire: Use flooding with copious amounts of water to extinguish. Do not use ABC fire extinguishers. Do not use dry chemicals, carbon dioxide, or halogenated extinguishing agents
- Collect spillage

GHS - Precautionary Statement(s) - Storage

- Store locked up

GHS - Precautionary Statement(s) - Disposal

- Dispose of contents and container in accordance with applicable local, regional, national, and/or international regulations

Physical Hazards of Significance Not Mentioned in GHS Classification

- Reacts in contact with water to evolve nitrogen trichloride, an explosion hazard
 - Do not get water inside container, wet or damp material may generate large quantities of nitrogen trichloride (NCl₃) in a short period of time, an explosive chemical with lachrymatory vapors
 - Contamination with moisture, organic material, or other incompatible chemicals may start a reaction with generation of heat, liberation of hazardous gases, and possible fire and explosion
 - The product can liberate toxic gases from 225 °C (437 °F) to its decomposition point ~247 °C (477 °F), raising the risk of fire or explosion
-

ACL® 90 PLUS CHLORINATING COMPOSITION

SDS No.: M31035
Supersedes Date: 2025-25-August

Rev. Date: 30-Sep-2025
Rev. Num. 12

• This product is classified as a GHS Class 2 Oxidizer. A GHS Class 2 Oxidizer is a substance that can cause or contribute to the combustion of other materials, and while not necessarily combustible itself, it can moderately increase the burning rate of combustible materials when they come into contact

Health Hazards of Significance Not Mentioned in GHS Classification

- Contact with acids liberates toxic gas
- Damp or wet material may generate hazardous and toxic gases
- Contact with water liberates irritating and hazardous chlorine containing gases
- The product can liberate toxic gases from 225 °C (437 °F) to its decomposition point ~247 °C (477 °F), raising the risk of fire or explosion
- Inhalation of respirable fraction (e.g., typically <10 microns) of this material may cause toxic effects

Persistent, Bioaccumulative, and Toxic (PBT) and Very Persistent and Very Bioaccumulative (vPvB)**Assessment:**

This substance does not meet the PBT/vPvB criteria of REACH regulation, Annex XIII.

Component	U.S. - CERCLA/SARA - Section 313 - PBT Chemical Listing	EU - PBT / vPvB Status
Trichloro-s-triazinetrione	Not listed	Considered NOT to be an EU PBT
Impurity	Not listed	Considered NOT to be an EU PBT

Endocrine Disruptor Assessment:

This substance has not been identified as having endocrine disrupting properties.

Component	Endocrine Screening List
Impurity	Japan EXTEND List: Not Currently Tested

See Section 11: TOXICOLOGICAL INFORMATION

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	Systematic Chemical Name	Common name	CAS Number	Percent [%]
Trichloro-s-triazinetrione 87-90-1	1,3,5-tris(chloranyl)-1,3,5-triazinane-2,4,6-trione	Trichlorocyanuric acid	87-90-1	97.6 - 99.9
Impurity -	Trade Secret	Trade Secret	-	0.1 - 2.4

SECTION 4. FIRST AID MEASURES

ACL® 90 PLUS CHLORINATING COMPOSITION

SDS No.: M31035
Supersedes Date: 2025-25-August

Rev. Date: 30-Sep-2025
Rev. Num. 12

EYE CONTACT: IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF IN EYES: Get medical help. Specific treatment for eye contact (see "Notes to Physician" in Section 4 of the SDS).

SKIN CONTACT: IF ON SKIN: Take off immediately all contaminated clothing. Immediately rinse with water for several minutes. Wash contaminated clothing before reuse. See specific treatment for skin contact below in this Section Under "Notes to Physicians".

INHALATION: IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF INHALED: Get medical help if you feel unwell.

INGESTION: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF SWALLOWED: Get medical help.

MOST IMPORTANT SYMPTOMS/EFFECTS (ACUTE AND CHRONIC [DELAYED]):

Acute Symptoms/Effects:

Eye: Signs and symptoms of exposure to the eyes, include irritation and burns to the eyelids, conjunctivitis, corneal edema, and corneal burn. Significant and prolonged contact may cause damage to internal eye structures, including blindness.

Skin: Signs and symptoms of exposure to skin may include redness, irritation, burning sensation, swelling, blister formation, first, second, or third-degree burns. Dry material is less irritating than wet material.

Inhalation (Breathing): Exposure to the solid product or to free chlorine evolving from the product may cause respiratory system effects to include irritation, redness of upper and lower airways, coughing, laryngospasm and edema, shortness of breath, bronchoconstriction, and possible pulmonary edema. The pulmonary edema may develop several hours after a severe acute exposure.

Ingestion (Swallowing): Exposure by ingestion may cause gastrointestinal effects to include irritation, nausea, and vomiting. May cause local tissue damage to esophagus and stomach such as burning, inflammation, local ulceration, and may cause gastrointestinal bleeding.

Chronic (Delayed) Symptoms/Effects: Repeated and prolonged skin contact may cause a dermatitis.

Protection of First-Aid Responders: Protect yourself by avoiding contact with this material. Use personal protective equipment (PPE). Refer to Section 8 for specific PPE recommendations. Avoid contact with skin and eyes. Do not ingest. At minimum, treating personnel should utilize PPE sufficient for prevention of bloodborne pathogen transmission.

Notes to Physician: Need of immediate medical attention. Treat as a corrosive substance. This material is more irritating to the skin and eyes in the presence of water. For prolonged exposures and significant exposures, consider delayed injury to exposed tissues. There is no antidote. Cyanuric acid is readily removed from the body via the renal system and is not bioaccumulated. Treatment is supportive care. Follow normal parameters for airway, breathing, and circulation.

Interaction with Other Chemicals Which Enhance Toxicity: Contact with acids liberates toxic gas.

Medical Conditions Aggravated by Exposure: May aggravate preexisting conditions such as eye disorders that decrease tear production or have reduced integrity of the eye; skin disorders that compromise the integrity of the skin; and respiratory conditions including asthma and other breathing disorders.

ACL® 90 PLUS CHLORINATING COMPOSITION

SDS No.: M31035
Supersedes Date: 2025-25-August

Rev. Date: 30-Sep-2025
Rev. Num. 12

SECTION 5. FIRE FIGHTING MEASURES

Fire Hazard: This material is classified as a Class 2 Oxidizer under GHS and/or CLP criteria. Class 2 Oxidizers will increase the burning rate of combustible materials with which they come in contact. In addition, they may cause spontaneous ignition when in contact with combustible material. The product can liberate toxic gases from 225 °C (437 °F) to its decomposition point ~247 °C (477 °F), raising the risk of fire or explosion.

Explosive properties: Damp or wet material may generate nitrogen trichloride, an explosion hazard. See Section 10 for stability and reactivity precautions.

Extinguishing Media: Flood with copious amounts of water.

Unsuitable Extinguishing Media: DO NOT use ABC or other dry chemical extinguishers. There is the potential for a violent reaction if extinguishing with ABC or other dry chemical extinguishers. DO NOT USE carbon dioxide as an extinguishing agent. DO NOT USE halogenated extinguishing agents.

Specific Hazards: Contact with water slowly liberates irritating and hazardous chlorine containing gases.

Unusual Hazards: Material which appears undamaged, except for being damp on the outside, should be opened and inspected immediately. Use extreme caution when inspecting damaged packaging as damp or wet material may generate nitrogen trichloride, an explosion hazard and/or other hazardous and toxic gases.

Fire Fighting: Consider evacuation of personnel located downwind. Keep unnecessary people away, isolate hazard areas and deny entry. Move container from the fire area if it can be done without risk. Material which appears undamaged, except for being damp on the outside, should be opened and inspected immediately. DO NOT attempt to reseal contaminated drums. Damp material should be neutralized to a non-oxidizing state. Contact OxyChem for instructions for handling and disposal of damp material.

Advice for Firefighters: Avoid inhalation of material or combustion by-products. Stay upwind and keep out of low areas. Wear NIOSH approved positive-pressure self-contained breathing apparatus operated in pressure demand mode.

Hazardous Combustion Products: In case of fires, hazardous combustion gases are formed: Nitrogen (NO₂); Hydrogen chloride (HCl); Chlorine (Cl₂); nitrogen trichloride (explosion hazard!); Isocyanic acid; Carbon monoxide and carbon dioxide

Sensitivity to Mechanical Impact: Not sensitive.

Sensitivity to Static Discharge: Not sensitive.

Lower Flammability Level (air): Not flammable

Upper Flammability Level (air): Not flammable

Flash point: Not applicable

Auto-ignition Temperature: Not applicable

ACL® 90 PLUS CHLORINATING COMPOSITION

SDS No.: M31035
Supersedes Date: 2025-25-August

Rev. Date: 30-Sep-2025
Rev. Num. 12

GHS: PHYSICAL HAZARDS:

- Oxidizing Solid - Category 2 - May intensify fire; oxidizer

Physical Hazards of Significance Not Mentioned in GHS Classification

- Reacts in contact with water to evolve nitrogen trichloride, an explosion hazard
 - Do not get water inside container, wet or damp material may generate large quantities of nitrogen trichloride (NCl₃) in a short period of time, an explosive chemical with lachrymatory vapors
 - Contamination with moisture, organic material, or other incompatible chemicals may start a reaction with generation of heat, liberation of hazardous gases, and possible fire and explosion
 - The product can liberate toxic gases from 225 °C (437 °F) to its decomposition point ~247 °C (477 °F), raising the risk of fire or explosion
 - This product is classified as a GHS Class 2 Oxidizer. A GHS Class 2 Oxidizer is a substance that can cause or contribute to the combustion of other materials, and while not necessarily combustible itself, it can moderately increase the burning rate of combustible materials when they come into contact
-

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions: Do not breathe dust, fumes, gas, mist, vapors, or spray. Wash hands and exposed skin and clothing thoroughly after handling. Do not touch eyes. Do not eat, drink, or smoke when using this product. Use only outdoors or in a well-ventilated area. Do not get in eyes, on skin or on clothing.

Personal Protective Equipment: Wear Personal Protective Equipment (PPE) for unknown or severely hazardous concentrations. See Section 8 for information on personal protective equipment.

Emergency Procedures: Evacuate unnecessary personnel and eliminate all sources of ignition. Isolate hazard areas and deny entry. Prevent material and runoff from entering sewers and waterways if it can be done safely well ahead of the release.

Environmental Precautions: This material is very toxic to aquatic life with long lasting effects. This material is acidic and may lower the pH of surface waters. Keep out of water supplies and sewers. Releases should be reported, if required, to appropriate agencies.

Methods and Materials for Containment, Confinement, and/or Abatement: Contain spill. DO NOT add water to spilled material.

Methods and Materials for Clean-up

Recovery: DO NOT attempt to reseal contaminated drums. DO NOT transport wet or damp material. Contain spilled material. Any spillage of ACL products should be cleaned up as soon as possible to prevent contamination with foreign materials with which it may react. Floor sweeping compounds should not be used. KEEP SPILLED MATERIAL DRY. If allowed to stand in damp or wet areas, tear producing vapors may result. Keep unneutralized products out of sewers, watersheds and water systems. Using clean, dedicated equipment, sweep and scoop up all spilled material, contaminated soil and other contaminated material and place into clean dry containers for disposal. Complete cleanup on a dry basis if possible. Sweeping compounds or other contaminants should not be mixed with the spilled product during this cleanup operation as fuming, fire or explosion may result. Follow all protective measures indicated in the "Personal Precautions and Personal Protective Equipment" sections of this

ACL® 90 PLUS CHLORINATING COMPOSITION

SDS No.: M31035
Supersedes Date: 2025-25-August

Rev. Date: 30-Sep-2025
Rev. Num. 12

document.

Neutralization: Damp material should be neutralized to a non-oxidizing state. The neutralization process involves the addition of waste ACL products to alkaline aqueous solutions maintained at a pH of 10.5 (e.g. sodium hydroxide; sodium carbonate; or sodium sulfite). At this pH (10.5), the major fraction of chlorine is destroyed by chemical reactions between chlorine and cyanuric acid contained in the waste ACL. THIS PROCESS SHOULD ONLY BE CARRIED OUT AFTER CAREFULLY REVIEWING THE ACL® WASTE NEUTRALIZING PROCEDURE PROVIDED BY OXYCHEM TECHNICAL SERVICE.

Final Disposal: For waste disposal, see section 13.

Additional Disaster Prevention Measures: Contact OxyChem for instructions for handling and disposal of damp material.

SECTION 7. HANDLING AND STORAGE

Handling:

Precautions for Safe Handling:

Do not smoke, eat, or drink while handling the product. Do not get in eyes, on skin, or on clothing. Avoid breathing vapors or dust when opening container. Avoid creation of dust. Wash thoroughly after handling. Wear personal protective equipment as described in Exposure Controls/Personal Protection (Section 8) of the SDS. NEVER add water to this product. Always add product to large quantities of water. Use clean, dry utensils. Do not add the product to any dispensing device containing residuals of other products. Take any precaution to avoid mixing with combustibles or incompatible materials. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Technical measures/precautions: Due to the thermal decomposition properties of product, friction-producing equipment, such as screw conveyors or items with internal bearings, should be avoided whenever possible.

Other precautions:

Material which appears undamaged, except for being damp on the outside, should be opened and inspected immediately. Use extreme caution when inspecting damaged packaging as damp or wet material may generate nitrogen trichloride, an explosion hazard and/or other hazardous and toxic gases.

Prevention of contact: Provisions should be made to open and use ACL containers in well-ventilated work areas to protect handlers from excessive chlorine odor and dust. See Section 8, Exposure Controls and Personal Protection, for additional information.

Storage:

Safe Storage Conditions: Store and handle in accordance with all current regulations and standards. Keep/Store away from clothing and other combustible materials. Store away from open flames, and combustibles. Store in original container and in a dry area where temperatures do not exceed 52 °C (125 °F) for 24 hours. Do not allow water to get in container. If liner is present, tie after each use. Keep container tightly closed and properly labeled. Store containers on pallets. Keep away from food, drink and animal feed. Keep separated from incompatible substances (see below or Section 10 of the Safety Data Sheet).

Technical measures: ACL should be stored in a cool (temperatures not to exceed 125°F for 24hours), dry, well-ventilated area, segregated from incompatible chemicals. Storage conditions should comply with the

ACL® 90 PLUS CHLORINATING COMPOSITION

SDS No.: M31035
Supersedes Date: 2025-25-August

Rev. Date: 30-Sep-2025
Rev. Num. 12

requirements established by the National Fire Protection Association's NFPA 1 – Uniform Fire Code and/or NFPA 400 – Hazardous Materials Code and/or the International Code Council's (ICC) International Fire Code. Since both NFPA and ICC codes are used throughout the U.S., consult with local fire departments to determine which codes apply. This material is classified as a Class 2 Oxidizer under GHS and/or CLP criteria. Class 2 Oxidizers will increase the burning rate of combustible materials with which they come in contact. In addition, they may cause spontaneous ignition when in contact with combustible material.

Incompatible Substances: The product is a highly reactive oxidizing and chlorinating agent. Precautions should be taken to prevent the mixing of these products with other incompatible chemicals during storage, handling and manufacture. Some chemicals incompatible include (but are not limited to): Strong acids or bases; Amino Compounds (amines; amides; ammonia, and ammonium salts) and hydrazines; Acetic acid and acetic anhydride; Alcohols (methyl, ethyl, isopropyl, etc.) and phenols; Alkenes and acetylene; Biuret; Calcium hypochlorite; Ethers; Fungicides; Glycerin; Mineral reducing agents (sulfides, bisulfites, thiosulfates, nitrites, cyanide salts, etc.); Oils and paints; Organic or mineral oxidizers (peroxides, perborates, percarbonates); Petroleum products (gasoline, kerosene, etc.); Urea. Substances not listed must be evaluated for compatibility prior to use.

Packaging or Materials of Construction: ACL products have excellent stability when they are properly packaged and stored; however, these materials can form enough chlorine-containing gases to cause deterioration of the container. Therefore, the standard shelf-life for packaged product (in bulk bags, plastic drums or pails) is two years.

Additional Information:

GHS: PHYSICAL HAZARDS:

- Oxidizing Solid - Category 2 - May intensify fire; oxidizer

Physical Hazards of Significance Not Mentioned in GHS Classification

- Reacts in contact with water to evolve nitrogen trichloride, an explosion hazard
- Do not get water inside container, wet or damp material may generate large quantities of nitrogen trichloride (NCl₃) in a short period of time, an explosive chemical with lachrymatory vapors
- Contamination with moisture, organic material, or other incompatible chemicals may start a reaction with generation of heat, liberation of hazardous gases, and possible fire and explosion
- The product can liberate toxic gases from 225 °C (437 °F) to its decomposition point ~247 °C (477 °F), raising the risk of fire or explosion
- This product is classified as a GHS Class 2 Oxidizer. A GHS Class 2 Oxidizer is a substance that can cause or contribute to the combustion of other materials, and while not necessarily combustible itself, it can moderately increase the burning rate of combustible materials when they come into contact

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

REGULATORY EXPOSURE LIMIT(S):

This product does not contain any components that have regulatory occupational exposure limits (OEL's).

NON-REGULATORY EXPOSURE LIMIT(S):

This product does not contain any components that have advisory (non-regulatory) occupational exposure limits (OELs). However, Occidental Chemical Corporation has established a Manufacturer Recommended Exposure Limit (REL) for Trichloroisocyanuric Acid, of 0.5 mg/m³ for an 8-hour time weighted average (TWA). Contact manufacturer for further information addressing appropriate exposure monitoring / sampling methods.

ACL® 90 PLUS CHLORINATING COMPOSITION

SDS No.: M31035
Supersedes Date: 2025-25-August

Rev. Date: 30-Sep-2025
Rev. Num. 12

Component	ACGIH TWA	ACGIH STEL	ACGIH Ceiling	Skin Absorption - ACGIH	NIOSH RELs	AIHA WEELs	OSHA TWA (Vacated)	OSHA STEL (Vacated)	OSHA Ceiling (Vacated)
Impurity - (0.1 - 2.4 %)	-----	-----	-----	-----	-----	10 mg/m ³ TWA 5 mg/m ³ TWA	-----	-----	-----

Recommended Exposure Limits (REL's) are non-regulatory occupational exposure limits the manufacturer has established based on health effects data.

Component	OXY REL 8 hr TWA	OXY REL STEL	OXY REL Ceiling
Trichloro-s-triazinetrione 87-90-1 (97.6 - 99.9 %)	0.5 mg/m ³	N/A	N/A

Additional Advice: Chlorine and chlorine compounds may be found in slight amounts in the headspace of containers of this product.

ENGINEERING CONTROLS: Use only in well-ventilated areas. Provide local exhaust ventilation where dust or mist may be generated. Conventional mixer types can be used for the formulation of these products but should be designed or modified to minimize attrition, dusting or spilling. Provisions should be made to collect any dust from the mixer in a suitable dust-collecting system. Note, the dust collection system for ACL products should not be used to collect dust from materials that will react with ACL products. All equipment should be thoroughly cleaned before and after mixing to prevent the possibility of undesired reactions or fire as a result of accidental contamination. Ensure compliance with applicable exposure limits.

PERSONAL PROTECTIVE EQUIPMENT:

Eye Protection: Wear chemical safety goggles with a face shield to protect against eye and skin contact when appropriate. Provide an emergency eyewash fountain and quick drench shower in the immediate work area.

Skin and Body Protection: Wear protective clothing to minimize skin contact. When potential for contact with dry material exists, wear disposable coveralls suitable for dust exposure, such as Tyvek®. Contaminated clothing should be removed and laundered before reuse.

Hand Protection: Wear appropriate chemical resistant gloves. Consult a glove manufacturer for assistance in selecting an appropriate chemical resistant glove.

Protective Material Types: Butyl rubber, Natural rubber, Neoprene, Nitrile, Polyvinyl chloride (PVC), Tyvek®.

Respiratory Protection: In case of inadequate ventilation, wear respiratory protection. A NIOSH approved respirator with N95 (dust, fume, mist) cartridges may be permissible under certain circumstances where airborne concentrations are expected to exceed exposure limits, or when symptoms have been observed that are indicative of overexposure. The added protection of a full face-piece respirator is required when visible dusty conditions are encountered and eye irritation may occur. Acid gas cartridges with N95 filters are required when fumes or vapor may be generated. A respiratory protection program that meets 29 CFR 1910.134 must be followed whenever workplace conditions warrant use of a respirator.

Other Protective Equipment: No information available.

ACL® 90 PLUS CHLORINATING COMPOSITION

SDS No.: M31035
Supersedes Date: 2025-25-August

Rev. Date: 30-Sep-2025
Rev. Num. 12

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Granules, Crystals
Physical State:	Solid
Color:	White
Odor:	Slight chlorine odor
Odor Threshold [ppm]:	Not Available
Melting Point/Range:	246.8 ± 0.4°C decomposes at melting point
Freezing Point/Range:	Not applicable
Boiling Point °C	Not applicable
Evaporation Rate (ether=1):	Not applicable
Flammability (solid, gas):	Not highly flammable (EU method A.10)
Lower Flammability Level (air):	Not flammable
Upper Flammability Level (air):	Not flammable
Explosion limits:	Not determined
Flash point:	Not applicable
Auto-ignition Temperature:	Not applicable
Decomposition Temperature:	246.8 ± 0.4°C decomposes at melting point of about 200°C
pH:	3.98 (50 ppm av chlorine in Demineralized water with pH 5.20) 1.78 (6000 ppm av chlorine in Demineralized water with pH 5.20) 7.08 (50 ppm av chlorine in Tap water with pH 7.53) 2.01 (6000 ppm av chlorine in Tap water with pH 7.53)
Viscosity:	Not applicable
Kinematic Viscosity:	No data available
Water Solubility:	pH 3.5: 10,000 mg/L at 10 °C 14,000 mg/L at 20 °C 20,000 mg/L at 30 °C
Partition Coefficient (n-octanol/water):	Log Pow = 0.9445 (TCCA, calculated)
Vapor Pressure:	<0.002 Pa at 20°C
Density:	1.158 g/mL (Granular form)
Relative Density/Specific Gravity (water=1):	No data available
Vapor Density (air=1):	Not applicable
Particle Size Distribution:	The respirable fraction is typically less than 0.1% by weight for the granular and extra granular grades
Other Information	
Molecular Formula:	C3N3O3Cl3
Chemical Family:	CHLORINATED ISOCYANURATES
Molecular Weight:	232.4
Explosive properties:	Not applicable.
Oxidizing properties:	The [U.S.] National Fire Protection Association (NFPA) Code 400 (2025) "Hazardous Material Code": NFPA Class 1 Oxidizer (• slightly increase the burning rate of

ACL® 90 PLUS CHLORINATING COMPOSITION

SDS No.: M31035
Supersedes Date: 2025-25-August

Rev. Date: 30-Sep-2025
Rev. Num. 12

	combustible materials. • do not cause spontaneous ignition when they come in contact with them).
Bulk Density:	1.034 ± 0.004 g/ml (Pour density) 1.097 ± 0.004 g/ml (Tap density)
Volatility:	Not applicable
Surface Tension:	No data available

SECTION 10. STABILITY AND REACTIVITY

Chemical Stability: Stable at normal temperatures and pressures.

Reactivity: Not reactive under normal temperatures and pressures.

Possibility of Hazardous Reactions: Do not get water inside container. Wet material may generate nitrogen trichloride, an explosion hazard. Avoid contact with easily oxidizable organic material. Contact with acids liberates toxic gas. ACL in the presence of ammonia gas or aqueous solutions of ammonia will generate hazardous amounts of explosive nitrogen trichloride. Contamination with oils and greases may cause decomposition of ACL with formation of CO₂, Cl₂, and other toxic gases. Hydrogen peroxide may react violently with ACL with liberation of oxygen.

Conditions to Avoid (e.g., static discharge, shock, or vibration): The material in itself is very stable to static discharge, shock or vibration. It does not present a dust explosion hazard.

Incompatible Substances: The product is a highly reactive oxidizing and chlorinating agent. Precautions should be taken to prevent the mixing of these products with other incompatible chemicals during storage, handling and manufacture. Some chemicals incompatible include (but are not limited to): Strong acids or bases; Amino Compounds (amines; amides; ammonia, and ammonium salts) and hydrazines; Acetic acid and acetic anhydride; Alcohols (methyl, ethyl, isopropyl, etc.) and phenols; Alkenes and acetylene; Biuret; Calcium hypochlorite; Ethers; Fungicides; Glycerin; Mineral reducing agents (sulfides, bisulfites, thiosulfates, nitrites, cyanide salts, etc.); Oils and paints; Organic or mineral oxidizers (peroxides, perborates, percarbonates); Petroleum products (gasoline, kerosene, etc.); Urea. Substances not listed must be evaluated for compatibility prior to use.

Hazardous Decomposition Products: In case of fires, hazardous combustion gases are formed: Nitrogen (NO₂); Hydrogen chloride (HCl); Chlorine (Cl₂); nitrogen trichloride (explosion hazard!); Isocyanic acid; Carbon monoxide and carbon dioxide.

Hazardous Polymerization: Not expected to occur.

SECTION 11. TOXICOLOGICAL INFORMATION

POTENTIAL HEALTH EFFECTS:

ACL® 90 PLUS CHLORINATING COMPOSITION

SDS No.: M31035
Supersedes Date: 2025-25-August

Rev. Date: 30-Sep-2025
Rev. Num. 12

TOXICITY:

Monosodium cyanurate was administered via drinking water to rats for 104 weeks at concentrations of 0, 400, 1200, 2400, and 5375 ppm (solubility limit). No compound-related effects on body weights, clinical signs of toxicity or food or water consumption were noted during the study. An increased incidence of gross lesions in the urinary tract, calculi in the kidney and lesions in the heart were observed in males receiving the highest dose level of 5375 ppm (solubility limit). The health effects seen in this study were due to precipitation of the test substance in the urinary tract when the test substance was fed at the solubility limit. Adverse health effects were not seen at lower doses where precipitation did not occur.

ACUTE TOXICITY:

Eye contact: Exposure to material may cause serious eye damage. Significant and prolonged contact may cause damage to the internal eye structures.

Skin contact: Exposure to solids along with moisture may cause redness, irritation, burning sensation, swelling, blister formation, first, second, or third-degree burns. Dry material is less irritating than wet material.

Inhalation: This material in the form as sold is NOT expected to produce respiratory effects. Particles of respirable size are generally not encountered. The respirable fraction is typically less than 0.1% by weight for the granular and extra granular grades. If ground or otherwise in a powdered form, effects similar to a corrosive substance may occur. Exposure to the solid product or to free chlorine evolving from the product may cause irritation, redness of upper and lower airways, coughing, laryngospasm and edema, shortness of breath, bronchoconstriction, and possible pulmonary edema. The pulmonary edema may develop several hours after a severe acute exposure.

Ingestion: Ingestion is not a likely route of exposure; however, the material is harmful if swallowed.

CHRONIC TOXICITY:

Chronic Effects: None identified for the parent chemical. Based on animal studies, exposure to concentrations of monosodium cyanurate at the solubility limit may cause cardiovascular, kidney and urinary bladder effects.

SIGNS AND SYMPTOMS OF EXPOSURE:

Inhalation (Breathing): Exposure to the solid product or to free chlorine evolving from the product may cause respiratory system effects to include irritation, redness of upper and lower airways, coughing, laryngospasm and edema, shortness of breath, bronchoconstriction, and possible pulmonary edema. The pulmonary edema may develop several hours after a severe acute exposure.

Skin: Signs and symptoms of exposure to skin may include redness, irritation, burning sensation, swelling, blister formation, first, second, or third-degree burns. Dry material is less irritating than wet material.

Eye: Signs and symptoms of exposure to the eyes, include irritation and burns to the eyelids, conjunctivitis, corneal edema, and corneal burn. Significant and prolonged contact may cause damage to internal eye structures, including blindness.

Ingestion (Swallowing): Exposure by ingestion may cause gastrointestinal effects to include irritation, nausea, and vomiting. May cause local tissue damage to esophagus and stomach such as burning, inflammation, local ulceration, and may cause gastrointestinal bleeding.

Interaction with Other Chemicals Which Enhance Toxicity: Contact with acids liberates toxic gas.

GHS HEALTH HAZARDS:

GHS: CONTACT HAZARD - SKIN: Category 1 - Causes severe skin burns and eye damage

GHS: CONTACT HAZARD - EYE: Category 1 - Causes serious eye damage

GHS: ACUTE TOXICITY - ORAL: Category 4 - Harmful if swallowed

ACL® 90 PLUS CHLORINATING COMPOSITION

SDS No.: M31035
Supersedes Date: 2025-25-August

Rev. Date: 30-Sep-2025
Rev. Num. 12

GHS: TARGET ORGAN TOXICITY (SINGLE EXPOSURE):

Category 3 - May cause respiratory tract irritation

TOXICITY DATA:

PRODUCT TOXICITY DATA: Data is from studies conducted internally.

LD50 Oral:	LD50 Dermal:	LC50 Inhalation:
787 - 868 mg/kg bw (male and female rat)	> 2000 mg/kg bw (male and female rabbit)	Between 0.09 mg/L and 0.29 mg/L (male and female rat; dust inhalation)

COMPONENT TOXICITY DATA: The component toxicity data is populated by the LOLI database and may differ from the product toxicity data given

Component	Oral LD50	Dermal LD50	Inhalation LC50
Trichloro-s-triazinetrione 87-90-1	406 mg/kg (Rat)	>5000 mg/kg (Rat)	> 5.35 mg/L (Rat) 4 h
Impurity -	>5000 mg/kg (Rat)	>5 g/kg (Rabbit)	> 5.25 mg/L (Rat) 4 h

EYE IRRITATION/CORROSION: Multiple in vivo studies found that Trichloroisocyanuric acid (TCCA) causes severe, irreversible eye irritation and damage in rabbits.

Standard Draize (Eye): PRIMARY EYE IRRITATION: Severe Irritation, Corrosive (rabbit, 24 hr.).

SKIN IRRITATION/CORROSION: Exposure of rabbit skin to Trichloroisocyanuric acid (TCCA) caused varying degrees of erythema, edema, and other corrosive dermal effects, confirming TCCA may be corrosive to skin if not removed promptly.

Standard Draize (Skin): PRIMARY SKIN IRRITATION: Severe Irritation, Corrosive (rabbit, 24 hr)

SKIN ABSORBENT/DERMAL ROUTE: NO.

Not expected to cause health effects upon potential absorption.

RESPIRATORY OR SKIN SENSITIZATION: The sensitization potential of Trichloroisocyanuric acid (TCCA) was investigated in male guinea pigs using the Magnusson and Kligman maximization method. The test material produced a 0% (0/10) sensitization rate and is therefore not considered to be a skin sensitizer.

CARCINOGENICITY: Trichloroisocyanuric acid (TCCA) is unstable in the body, particularly the stomach, because the free available chlorine is rapidly reduced. Cyanuric acid (CYA), or its salt, is the stable degradation product. Therefore, CYA, or its sodium salt, is the substance of interest for carcinogenicity studies. A 2-year carcinogenicity study in rats and mice was carried out according to EU method B.33. The study showed that the monosodium salt of cyanuric acid was non-oncogenic by the oral route. Based on available data, the classification criteria are not met. Not classified as a carcinogen per GHS and/or CLP criteria.

SPECIFIC TARGET ORGAN TOXICITY (Single Exposure): Category 3 - Respiratory Tract Irritation.

SPECIFIC TARGET ORGAN TOXICITY (Repeated or Prolonged Exposure): Trichloroisocyanuric acid (TCCA) quickly converts to cyanuric acid (CYA) in the body, so long-term toxicity is attributed to CYA, not the original

ACL® 90 PLUS CHLORINATING COMPOSITION

SDS No.: M31035

Supersedes Date: 2025-25-August

Rev. Date: 30-Sep-2025

Rev. Num. 12

compound. Repeated oral and inhalation exposure studies show high NOAEL values and no evidence of carcinogenicity, while dermal absorption is minimal due to the corrosive nature of TCCA. Chronic oral studies in rodents confirm that significant adverse effects only occur at much higher doses than those typically encountered. The substance is not classified as a specific target organ toxicant upon repeated exposure per GHS and/or CLP criteria.

INHALATION HAZARD: Although the LC50 results of >0.09 - <0.29 mg/L (4 hour - Rat) would indicate that the material would be fatal if inhaled, in the study the test material was ground to ensure a respirable powder. Size of actual cut for the various grades are as listed:

- Regular (R) grade typically ranges <850 microns with 40-80% less than 100 microns and <6% less than 10 microns (limit of respirable particles)

- Granular (G) grade typically ranges 250 - 1400 microns with <0.3% less than 100 microns and <0.06% less than 10 microns (limit of respirable particles)

- Extra Granular (XR) grade typically ranges 425 - 1700 microns with <0.3% less than 100 microns and <0.06% less than 10 microns (limit of respirable particles).

The "form or physical shape" and "reasonably expected use" of a substance is relevant for classification. Article 5(1) of 1.2 of the Guidance to the CLP. Therefore, the result from the inhalation study is not considered to be applicable for classification and labelling purposes and the product is not classified as acutely toxic by inhalation.

INGESTION HAZARD: LD50 Acute Toxicity Estimates meet the GHS and/or CLP classification criteria of greater than 300 mg/kg and less than or equal to 2000 mg/kg. Therefore, this mixture is classified as Category 4 Acute Toxin Oral (harmful if swallowed).

IN-VITRO / IN-VIVO GENOTOXICITY: Trichloroisocyanuric acid (TCCA) is unstable in the body, particularly the stomach, because the free available chlorine is rapidly reduced. Cyanuric acid (CYA), or its salt, is the stable degradation product. Therefore, CYA, or its sodium salt, is the substance of interest for the genotoxicity toxicity studies. Extensive genotoxicity studies in both bacteria and mammalian cells indicate that cyanuric acid and its salts are not genotoxic or cytotoxic, with no adverse effects observed. Not classified as a mutagen per GHS and/or CLP criteria.

REPRODUCTIVE TOXICITY: Trichloroisocyanuric acid (TCCA) is unstable in the body, particularly the stomach, because the free available chlorine is rapidly reduced. Cyanuric acid (CYA), or its salt, is the stable degradation product. Therefore, CYA, or its sodium salt, is the substance of interest for the reproduction studies. A 3-generation reproductive study using monosodium cyanurate showed no biologically detrimental effect on the reproductive potential of the parents or on the growth and development of the offspring. Not classified as a reproductive toxin per GHS and/or CLP criteria.

DEVELOPMENTAL TOXICITY: There was no evidence of teratogenicity in the absence of maternal toxicity.

TOXICOKINETICS: TCCA is unstable in the body, particularly the stomach because the free available chlorine is rapidly reduced. CYA, or its salt, is the stable degradation product. Therefore, CYA or its sodium salt is the substance of interest for toxicokinetic studies. Studies on the toxicokinetic of radiolabeled sodium cyanurate show high absorption (over 98%) from the gastrointestinal tract in dogs and rats, with no metabolism or accumulation. This finding is supported by a human study where over 98% of cyanuric acid was recovered in urine within 24 hours. Dermal absorption studies indicate minimal absorption through human skin, suggesting oral ingestion as the primary route of exposure. There is no bioaccumulation potential for the product.

METABOLISM: See Toxicokinetics above.

BIOLOGICAL DISTRIBUTION: See Toxicokinetics above.

PATHOGENICITY AND ACUTE INFECTIOUSNESS (ORAL, DERMAL, AND INHALATION): Not applicable.

ACL® 90 PLUS CHLORINATING COMPOSITION

SDS No.: M31035
Supersedes Date: 2025-25-August

Rev. Date: 30-Sep-2025
Rev. Num. 12

ENDOCRINE DISRUPTOR: Not an endocrine disruptor.

NEUROTOXICITY: No relevant information available.

IMMUNOTOXICITY: No relevant information available.

Health Hazards of Significance Not Mentioned in GHS Classification

- Contact with acids liberates toxic gas
- Damp or wet material may generate hazardous and toxic gases
- Contact with water liberates irritating and hazardous chlorine containing gases
- The product can liberate toxic gases from 225 °C (437 °F) to its decomposition point ~247 °C (477 °F), raising the risk of fire or explosion
- Inhalation of respirable fraction (e.g., typically <10 microns) of this material may cause toxic effects

OTHER HAZARDS:

- Contact with acids liberates toxic gas
- Reacts in contact with water to evolve nitrogen trichloride, an explosion hazard

SECTION 12. ECOLOGICAL INFORMATION**ECOTOXICITY (EC, IC, and LC):**

Component:	Freshwater Fish:	Invertebrate Toxicity:	Algae Toxicity:	Other Toxicity:
Trichloro-s-triazinetrione 87-90-1 (97.6 - 99.9 %)	LC50 Bluegill sunfish: 0.23 - 0.40 mg/l (96 hr.) Rainbow trout: 0.24 - 0.37 mg/l (96 hr.)	LC50 Water flea: 0.17-0.80 mg/L (48 hour)	No data available	No data available
Impurity (0.1 - 2.4 %)	*LC50 Lepomis macrochirus: 1400 mg/L 96h *LC50 Lepomis macrochirus: 1000 mg/L 96h static *LC50 Pimephales promelas: 2100 mg/L 96h static	No data available	*EC50 Pseudokirchneriella subcapitata (96 h) =712 mg/L	No data available

Fish Toxicity:

LC50 Bluegill sunfish: 0.23 - 0.40 mg/l (96 hr.)
LC50 Rainbow trout: 0.24 - 0.37 mg/l (96 hr.)

Algae Toxicity:

LC50 Green algae: <0.5 mg/L (3 hour)

Invertebrate Toxicity:

LC50 Water flea: 0.17 - 0.80 mg/L (48 hr.)

ACL® 90 PLUS CHLORINATING COMPOSITION

SDS No.: M31035
Supersedes Date: 2025-25-August

Rev. Date: 30-Sep-2025
Rev. Num. 12

Other Toxicity:

LD50 Mallard duck (oral): 1,630 mg/kg
LD50 N. Bobwhite Quail (oral): 1,647 mg/kg
LC50 Mallard duck (diet): >10,000 ppm
LC50 N. Bobwhite Quail (diet): >7,422 ppm

FATE AND TRANSPORT:

PERSISTENCE: Trichloroisocyanuric acid (TCCA) rapidly hydrolyses to hypochlorous acid (HOCl) and cyanuric acid (CYA) on contact with water. As the free available chlorine is reduced by reaction with various impurities in the water it is converted into chloride ions and additional free chlorine is released from the chlorinated isocyanurates in solution. Once all the available chlorine has been reduced, stable reaction products are cyanuric acid or its salts and chloride salts. Cyanuric acid degrades readily under a wide variety of natural conditions.

BIODEGRADATION: This material is subject to hydrolysis. Cyanuric acid produced by hydrolysis is biodegradable.

BIOCONCENTRATION: No bioaccumulation data is available for isocyanuric acid in fish or aquatic organisms, but it is not expected to bioaccumulate due to its low octanol-water partition coefficient.

BIOACCUMULATIVE POTENTIAL: No experimental data. Calculated BCF value: 3.12 (BCF v2.17). Log Pow = 0.9445 (TCCA, calculated).

MOBILITY IN SOIL: Substance hydrolyses rapidly in soil.

ADDITIONAL ECOLOGICAL INFORMATION:

Persistent, Bioaccumulative, and Toxic (PBT) and Very Persistent and Very Bioaccumulative (vPvB) Assessment:

This substance does not meet the PBT/vPvB criteria of REACH regulation, Annex XIII.

SECTION 13. DISPOSAL CONSIDERATIONS

Waste from material:

Use or reuse if possible. Dispose in accordance with all applicable regulations. Do not put product, spilled product, or filled or partially filled containers into the trash. DO NOT transport wet or damp material. Damp material should be allowed to thoroughly dry or be neutralized to a non-oxidizing state. Contact manufacturer for instructions for handling and disposal of damp material.

Container Management:

See product label for container disposal information. Dispose of product and container with product residues as hazardous waste in accordance with applicable local, regional, national, and/or international regulations. Container rinsate must be disposed of in compliance with applicable regulations.

ACL® 90 PLUS CHLORINATING COMPOSITION

SDS No.: M31035
Supersedes Date: 2025-25-August

Rev. Date: 30-Sep-2025
Rev. Num. 12

SECTION 14. TRANSPORT INFORMATION**LAND TRANSPORT****U.S. DOT 49 CFR 172.101:**

Status: Regulated: Non-bulk packages by ground and air shipments are regulated as oxidizers. Bulk packaging or shipments by vessel are regulated as follows:
UN NUMBER: UN2468
PROPER SHIPPING NAME: Trichloroisocyanuric Acid, Dry, Marine Pollutant
HAZARD CLASS/ DIVISION: 5.1
PACKING GROUP: II
LABELING REQUIREMENTS: 5.1, Marine Pollutant
MARINE POLLUTANT: Trichloroisocyanuric Acid

CANADIAN TRANSPORTATION OF DANGEROUS GOODS:

Status: Regulated: Non-bulk packages by ground and air shipments are regulated as oxidizers. Bulk packaging or shipments by vessel are regulated as follows:
UN NUMBER: UN2468
SHIPPING NAME: Trichloroisocyanuric Acid, Dry, Marine Pollutant
CLASS OR DIVISION: 5.1
PACKING/RISK GROUP: II
LABELING REQUIREMENTS: 5.1, Marine Pollutant
CAN. MARINE POLLUTANT: Trichloroisocyanuric Acid

MARITIME TRANSPORT (IMO / IMDG)

Status - IMO / IMDG: Shipment by Vessel: Regulated.
UN NUMBER: UN2468
PROPER SHIPPING NAME: Trichloroisocyanuric Acid, Dry, Marine Pollutant
HAZARD CLASS / DIVISION: 5.1
Packing Group: II
LABELING REQUIREMENTS: 5.1, Marine Pollutant
MARINE POLLUTANT: Trichloroisocyanuric Acid

AIR TRANSPORT (ICAO / IATA)

Special Instructions CAO: IATA Certificate for shipping personnel is required

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code: Not applicable.

SECTION 15. REGULATORY INFORMATION**U.S. REGULATIONS**

ACL® 90 PLUS CHLORINATING COMPOSITION

SDS No.: M31035
Supersedes Date: 2025-25-August

Rev. Date: 30-Sep-2025
Rev. Num. 12

OSHA REGULATORY STATUS:

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

CERCLA SECTIONS 102a/103 HAZARDOUS SUBSTANCES (40 CFR 302.4):

Not regulated.

SARA EHS Chemical (40 CFR 355.30)

Not regulated.

SARA HAZARD CATEGORIES ALIGNED WITH GHS (2018):

Physical Hazard - Oxidizer (liquid, solid or gas)
 Health Hazard - Acute Toxin (any route of exposure)
 Health Hazard - Skin Corrosion or Irritation
 Health Hazard - Serious eye damage or eye irritation
 Health Hazard - Specific Target Organ Toxicity (STOT) Single Exposure (SE)

EPCRA SECTION 313 (40 CFR 372.65):

Not regulated.

DEPARTMENT OF HOMELAND SECURITY (DHS)- Chemical Facility Anti-Terrorism Standards (6 CFR 27):

No components in this material are regulated under DHS

OSHA PROCESS SAFETY (PSM) (29 CFR 1910.119):

Not regulated.

Component	EPA RMP Toxic or Flammable TPQ	PSM - Highly Hazardous Substances, Toxics and Reactives	Flash Point
Trichloro-s-triazinetrione 87-90-1 (97.6 - 99.9)	Not Listed	Not Listed	

FIFRA REGULATIONS: Registered pesticide under 40 CFR 152.10, Federal Insecticide, Fungicide and Rodenticide Act (FIFRA). EPA Reg. No. 935-37 (ACL® 90 Plus Chlorinating Composition).

FIFRA LABELING REQUIREMENTS: - This chemical is a pesticide product registered by the United States Environmental Protection Agency (EPA) and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.

- FIFRA Signal Word - DANGER
- Corrosive
- Causes irreversible eye damage and skin burns
- May be fatal if inhaled
- Harmful if swallowed or absorbed through skin
- Do not get in eyes, on skin, or on clothing
- Do not breathe dust, vapor or spray mist
- Irritating to nose and throat
- This pesticide is toxic to fish and aquatic organisms
- Strong oxidizing agent
- Contact with water slowly liberates irritating and hazardous chlorine containing gases
- Decomposes at temperatures above 437 °F (225°C) with liberation of harmful gases
- When ignited will burn with the evolution of chlorine and equally toxic gases

ACL® 90 PLUS CHLORINATING COMPOSITION

SDS No.: M31035
Supersedes Date: 2025-25-August

Rev. Date: 30-Sep-2025
Rev. Num. 12

- NEVER add water to product
- Always add product to large quantities of water
- Use only clean and dry utensils
- DO NOT add this product to any dispensing device containing remnants of any other product
- Such use may cause a violent reaction leading to fire or explosion
- Contamination with moisture, organic material, or other incompatible chemicals may start a reaction with generation of heat, liberation of hazardous gases, and possible fire and explosion

EPA'S CLEAN WATER AND CLEAN AIR ACTS:

Component	Clean Water Act - Priority Pollutants	CAA - ODS CLASS 1 AND CLASS 2	CAA - Volatile Organic Compounds (VOCs) in SOCM	CAA - HON Rule - Organic HAPs	CAA - Hazard Air Pollutants	CAA - Urban HAPs List (Integrated Urban Strategy)	SNAP - Substitutes for ODS	EPA RMP Toxic or Flammable TPQ
Trichloro-s-triazinetrione 87-90-1 (97.6 - 99.9 %)	Not Listed	Not Listed	Not Listed	Not Listed	Not Listed	Not Listed	Not Listed	Not Listed
Impurity - (0.1 - 2.4 %)	Not Listed	Not Listed	Present	Not Listed	Not Listed	Not Listed	Not Listed	Not Listed

NATIONAL INVENTORY STATUS**U.S. INVENTORY STATUS: Toxic Substance Control Act (TSCA):**

Component	TSCA Inventory	TSCA ACTIVE LIST	TSCA 12(b)	TSCA/Section 4	TSCA/Section 5	TSCA/Section 6	TSCA/Section 8
Trichloro-s-triazinetrione 87-90-1 (97.6 - 99.9 %)	Listed	ACTIVE	Not Listed	Not listed	Not Listed	Not Listed	Not listed
Impurity - (0.1 - 2.4 %)	Listed	ACTIVE	Not Listed	Not listed	Not Listed	Not Listed	Not listed

TSCA 12(b):

- This product is not subject to export notification

Canadian Chemical Inventory: All components of this product are listed on either the DSL or the NDSL.

Component	DSL	NDSL
Trichloro-s-triazinetrione 87-90-1 (97.6 - 99.9 %)	Listed	Not Listed
Impurity - (0.1 - 2.4 %)	Listed	Not Listed

STATE REGULATIONS**California Proposition 65:**

This product is not listed on the California Governor's current list of Carcinogens, Reproductive Toxicants, and/or Candidate Carcinogens (Proposition 65), but it may contain trace amounts of impurities that are listed. For additional information, contact Occidental Chemical Corporation Customer Service (1-800-752-5151 or 1-972-404-3700).

Component	U.S. - California - Proposition 65 -	CA. Prop. 65 Teratogen	California Proposition 65	California Proposition 65	Massachusetts Right to Know	Rhode Island Right to Know

ACL® 90 PLUS CHLORINATING COMPOSITION

SDS No.: M31035
Supersedes Date: 2025-25-August

Rev. Date: 30-Sep-2025
Rev. Num. 12

	Carcinogens List		CRT List - Male reproductive toxin:	CRT List - Female reproductive toxin:	Hazardous Substance List	Hazardous Substance List
Trichloro-s-triazinetrione 87-90-1 (97.6 - 99.9 %)	Not listed	Not listed	Not Listed	Not Listed	Listed	Listed
Impurity - (0.1 - 2.4 %)	Not listed	Not listed	Not Listed	Not Listed	Not Listed	Not Listed

Component	New Jersey Right to Know Hazardous Substance List	New Jersey Special Health Hazards Substance List	New Jersey - Environmental Hazardous Substance List	Pennsylvania Right to Know Hazardous Substance List	Pennsylvania Right to Know Special Hazardous Substances	Pennsylvania Right to Know Environmental Hazard List
Trichloro-s-triazinetrione	1892	Not Listed	Not Listed	Listed	Not Listed	Not Listed
Impurity	Not Listed	Not Listed	Not Listed	Not Listed	Not Listed	Not Listed

CANADIAN REGULATIONS

This product has been classified in accordance with the hazard criteria of the Workplace Hazardous Materials Information System (WHMIS 2015) which includes the amended Hazardous Products Act (HPA) and the Hazardous Product Regulations (HPR).

Component	Canada - CEPA - Schedule I - List of Toxic Substances	Canada - NPRI	Canada - CEPA - Greenhouse Gases (GHG) Subject to Mandatory Reporting	Canadian Chemical Inventory:	NDSL
Trichloro-s-triazinetrione 87-90-1 (97.6 - 99.9)	Not Listed	Not Listed	Not Listed	Listed on inventory	Not Listed
Impurity - (0.1 - 2.4)	Not listed	Not Listed	Not Listed	Listed on inventory	Not Listed

PCP Registration:

- This product is registered as a pesticide in Canada under PCP Reg No.18228 - (ACL 90 Plus Chlorinating Composition)

SECTION 16. OTHER INFORMATION

Prepared by: OxyChem Corporate HESS - Product Stewardship

Rev. Date: 30-Sep-2025

Reason for Revision:

- Corrected NFPA Statement in Section 9
- SDS format adopts revisions to the Hazardous Products Regulations (HPR) to include revisions to "Section 9: Physical and chemical properties" and ensures classification with at a minimum the seventh revised edition of GHS and certain elements from the eighth revised edition (Revision 8)
- SDS format adopts revisions to the OSHA's 2024 Hazard Communication Rule 29CFR 1910.1200 and ensures classification with at a minimum the seventh revised edition of GHS and certain elements from the eighth revised edition (Revision 8)

IMPORTANT:

Important: The information presented herein, while not guaranteed, was prepared by technical personnel and is true and accurate to the best of our current knowledge. NO WARRANTY OF MERCHANTABILITY OR OF FITNESS FOR

ACL® 90 PLUS CHLORINATING COMPOSITION

SDS No.: M31035
Supersedes Date: 2025-25-August

Rev. Date: 30-Sep-2025
Rev. Num. 12

A PARTICULAR PURPOSE, OR WARRANTY OR GUARANTY OF ANY OTHER KIND, EXPRESS OR IMPLIED, IS MADE REGARDING PERFORMANCE, SAFETY, SUITABILITY, STABILITY OR OTHERWISE. This information is not intended to be all-inclusive as to the manner and conditions of use, handling, storage, disposal, and other factors that may involve other or additional legal, environmental, safety or performance considerations, and Occidental Chemical Corporation assumes no liability whatsoever for the use of or reliance upon this information. Appropriate handling and use of the product remains the responsibility of the customer. No suggestions for use are intended as, and nothing herein shall be construed as, a recommendation to infringe any existing patents or to violate any Federal, State, local or foreign laws.

OSHA Standard 29 CFR 1910.1200 requires that information be provided to employees regarding the hazards of chemicals by means of a hazard communication program including labeling, safety data sheets, training and access to written records. We request that you, and it is your legal duty to, make all information in this Safety Data Sheet available to your employees.

End of Safety Data Sheet