

# SAFETY DATA SHEET



---

## ACL® 56 DISINFECTING GRANULES

North America EN  
SDS No.: M44623

Rev. Date: 29-Sep-2025  
Rev. Num. 09

---

### SECTION 1. CHEMICAL PRODUCT / COMPANY IDENTIFICATION

---

<b>Company Identification:</b>	Occidental Chemical Corporation 14555 Dallas Parkway, Suite 400 Dallas, Texas 75254-4300
<b>24-Hour Emergency Telephone Number:</b>	1-800-733-3665 (USA); CANUTEC (Canada): 1-613-996-6666; CHEMTREC (within USA and Canada): 1-800-424-9300; CHEMTREC (outside USA and Canada): +1 703-527-3887; CHEMTREC Contract No: CCN16186
<b>To Request an SDS:</b>	MSDS@oxy.com or 1-972-404-3245
<b>Customer Service:</b>	1-800-752-5151 or 1-972-404-3700
<b>Product Identifier:</b>	<b>ACL® 56 DISINFECTING GRANULES</b>
<b>Synonyms:</b>	Sodium dichloroisocyanurate dihydrate; Sodium dichloro-s-triazinetrione dihydrate; 1,3,5-Triazine-2,4,6(1H,3H,5H)-trione, 1,3-dichloro-, sodium salt dihydrate; Troclosene sodium, dihydrate; SDCC dihydrate; NaDCC dihydrate; Dichloroisocyanuric acid sodium salt
<b>Product Use:</b>	Biocide used for potable water treatment
<b>Restrictions on Use (United States):</b>	<ul style="list-style-type: none"><li>• This is a pesticide product; do not use in a pesticide application that is not approved by the EPA</li><li>• EPA Reg. No. 935-42 (ACL® 56 Disinfecting Granules)</li><li>• Re-packers or formulators using this product are responsible for obtaining EPA registration of their products</li></ul>
<b>Restrictions on Use (EU):</b>	ACL® 56 Disinfecting Granules are not offered for sale into EU at this time as a biocide.
<b>Other Global Restrictions on Use:</b>	Not registered as a pesticide in Canada. Do not sell for pesticide uses in Canada. Other restrictions on use based on local, regional, or national regulations may exist and must be determined on a case-by-case basis.

---

## ACL® 56 DISINFECTING GRANULES

SDS No.: M44623  
Supersedes Date: 2025-25-August

Rev. Date: 29-Sep-2025  
Rev. Num. 09

---

Chemical Family: CHLORINATED ISOCYANURATES

---

## SECTION 2. HAZARDS IDENTIFICATION

---

**OSHA REGULATORY STATUS:** This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

**HEALTH CANADA HPR REGULATORY STATUS:** This material is considered hazardous by the Health Canada Hazardous Products Act's Hazardous Products Regulations (HPR) (SOR/2015-17).

---

### EMERGENCY OVERVIEW:

**Color:** White  
**Physical State:** Solid  
**Appearance:** Granules, Crystals  
**Odor:** Slight chlorine odor

**Signal Word:** **DANGER**

**MAJOR HEALTH HAZARDS:** CAUSES SEVERE SKIN BURNS AND EYE DAMAGE. CAUSES SERIOUS EYE DAMAGE. HARMFUL IF SWALLOWED. MAY CAUSE RESPIRATORY IRRITATION.

**PHYSICAL HAZARDS:** Contact with acids liberates toxic gas.

**AQUATIC TOXICITY:** Very toxic to aquatic life with long lasting effects.

**PRECAUTIONARY STATEMENTS:** Do not breathe dusts or mists. Wash hands and exposed skin and clothing thoroughly after handling. Do not touch eyes. Do not eat, drink, or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves, protective clothing, eye, and face protection. Avoid release to the environment.

**ADDITIONAL HAZARD INFORMATION:** Do not get water inside container; damp or wet material may generate nitrogen trichloride, an explosion hazard. Contact with water slowly liberates irritating and hazardous chlorine containing gases. Heating the product over 80 °C (176 °F) may initiate a self-sustaining exothermic reaction which can increase the temperature to the decomposition point of 210 °C (410 °F), which can liberate harmful gases / toxic fumes. This product is an Oxidizer; however, it will not moderately increase the burning rate of combustible materials with which it comes into contact. May cause burns to moist skin if not promptly removed. There is no specific antidote. To treat contacted tissue, flush with water to dilute. Inhalation of respirable fraction (e.g., typically <10 microns) of this material may cause toxic effects.

---

**ACL® 56 DISINFECTING GRANULES**

SDS No.: M44623  
Supersedes Date: 2025-25-August

Rev. Date: 29-Sep-2025  
Rev. Num. 09

**HAZARD CLASSIFICATION:**

<b>GHS: CONTACT HAZARD - SKIN:</b>	Category 1 - Causes severe skin burns and eye damage
<b>GHS: CONTACT HAZARD - EYE:</b>	Category 1 - Causes serious eye damage
<b>GHS: ACUTE TOXICITY - ORAL:</b>	Category 4 - Harmful if swallowed
<b>GHS: TARGET ORGAN TOXICITY (SINGLE EXPOSURE):</b>	- Category 3 - May cause respiratory tract irritation
<b>HAZARDS NOT OTHERWISE CLASSIFIED (HNOC):</b>	- AQUATIC TOXICITY - ACUTE: Category 1 (Very toxic to aquatic life) - AQUATIC TOXICITY - CHRONIC: Category 1 (Very toxic to aquatic life with long lasting effects) - Contact with acids liberates toxic gas - The [U.S.] National Fire Protection Association (NFPA) Code 400 (2025) "Hazardous Material Code": NFPA Class 1 Oxidizer (• slightly increase the burning rate of combustible materials. • do not cause spontaneous ignition when they come in contact with them)

**Unknown Acute Oral Toxicity:**

100% of this product consists of ingredient(s) of known acute oral toxicity.

**Unknown Acute Dermal Toxicity:**

100% of this product consists of ingredient(s) of known acute dermal toxicity.

**Unknown Acute Inhalation Toxicity:**

100% of this product consists of ingredient(s) of known acute inhalation toxicity.

**GHS SYMBOL:** Corrosion, Exclamation mark, Environmental hazard



**GHS SIGNAL WORD:** DANGER

**GHS HAZARD STATEMENTS:****GHS - Health Hazard Statement(s)**

- Harmful if swallowed
- Causes severe skin burns and eye damage
- May cause respiratory irritation

**Additional Hazards - GHS Hazards Not Otherwise Classified (HNOC):**

- ACUTE AQUATIC HAZARD - CATEGORY 1: Very toxic to aquatic life
- CHRONIC AQUATIC HAZARD - CATEGORY 1: Very toxic to aquatic life with long lasting effects

**GHS - Precautionary Statement(s) - Prevention**

- Do not breathe dusts or mists
- Wash hands and exposed skin and clothing thoroughly after handling. Do not touch eyes
- Do not eat, drink, or smoke when using this product
- Use only outdoors or in a well-ventilated area

**ACL® 56 DISINFECTING GRANULES**

**SDS No.:** M44623  
**Supersedes Date:** 2025-25-August

**Rev. Date:** 29-Sep-2025  
**Rev. Num.** 09

- Wear protective gloves/protective clothing/eye protection/face protection
- Avoid release to the environment

**GHS - Precautionary Statement(s) - Response**

- IF SWALLOWED: Rinse mouth. Do NOT induce vomiting
- IF SWALLOWED: Get medical help
- IF INHALED: Remove person to fresh air and keep comfortable for breathing
- IF INHALED: Get medical help if you feel unwell
- IF ON SKIN: Take off immediately all contaminated clothing. Immediately rinse with water for several minutes
- IF ON SKIN: Get medical help immediately
- Wash contaminated clothing before reuse
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- Specific treatment for skin or eye contact (see "Notes to Physician" in Section 4 of the SDS)
- Collect spillage

**GHS - Precautionary Statement(s) - Storage**

- Store locked up

**GHS - Precautionary Statement(s) - Disposal**

- Dispose of contents and container in accordance with applicable local, regional, national, and/or international regulations

**Physical Hazards of Significance Not Mentioned in GHS Classification**

- Damp or wet material may generate nitrogen trichloride, an explosion hazard
- This product is an Oxidizer; however, it will not moderately increase the burning rate of combustible materials with which it comes into contact
- Heating the product over 80 °C (176 °F) may initiate a self-sustaining exothermic reaction which can increase the temperature to the decomposition point of 210 °C (410 °F), which can liberate harmful gases / toxic fumes

**Health Hazards of Significance Not Mentioned in GHS Classification**

- Damp or wet material may generate hazardous and toxic gases
- Contact with water slowly liberates irritating and hazardous chlorine containing gases
- Heating the product over 80 °C (176 °F) may initiate a self-sustaining exothermic reaction which can increase the temperature to the decomposition point of 210 °C (410 °F), which can liberate harmful gases / toxic fumes
- Contact with acids liberates toxic gas
- Inhalation of respirable fraction (e.g., typically <10 microns) of this material may cause toxic effects

**Persistent, Bioaccumulative, and Toxic (PBT) and Very Persistent and Very Bioaccumulative (vPvB) Assessment:**

This product does not fulfill the criteria for persistence, bioaccumulation, and toxicity. Therefore, this substance is not considered a PBT or a vPvB substance.

Component	U.S. - CERCLA/SARA - Section 313 - PBT Chemical Listing	EU - PBT / vPvB Status
Sodium dichloroisocyanurate dihydrate	Not listed	Considered NOT to be an EU PBT

**Endocrine Disruptor Assessment:**

This substance has not been identified as having endocrine disrupting properties.

# ACL® 56 DISINFECTING GRANULES

SDS No.: M44623  
Supersedes Date: 2025-25-August

Rev. Date: 29-Sep-2025  
Rev. Num. 09

See Section 11: TOXICOLOGICAL INFORMATION

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

**Synonym(s) for Product:** Sodium dichloroisocyanurate dihydrate; Sodium dichloro-s-triazinetrione dihydrate; 1,3,5-Triazine-2,4,6 (1H,3H,5H)-trione; Troclosene sodium, dihydrate; NaDCC dihydrate; SDCC dihydrate; Dichloroisocyanuric acid sodium salt

Component	Systematic Chemical Name	Common name	CAS Number	Percent [%]
Sodium dichloroisocyanurate dihydrate 51580-86-0	Sodium dichloroisocyanurate dihydrate	NaDCC Dihydrate	51580-86-0	98 - 100

## SECTION 4. FIRST AID MEASURES

**EYE CONTACT:** IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF IN EYES: Get medical help.

**SKIN CONTACT:** IF ON SKIN: Take off immediately all contaminated clothing. Immediately rinse with water for several minutes. IF ON SKIN: Get medical help immediately. Wash contaminated clothing before reuse. Specific treatment (see "Notes to Physician" in Section 4 of the SDS below).

**INHALATION:** IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF INHALED: Get medical help if you feel unwell.

**INGESTION:** IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF SWALLOWED, get medical help.

### MOST IMPORTANT SYMPTOMS/EFFECTS (ACUTE AND CHRONIC [DELAYED]):

#### Acute Symptoms/Effects:

**Eye:** Signs and symptoms of exposure to the eyes, include irritation and burns to the eyelids, conjunctivitis, corneal edema, and corneal burn. Significant and prolonged contact may cause damage to internal eye structures, including blindness.

**Skin:** Signs and symptoms of exposure to skin may include redness, irritation, burning sensation, swelling, blister formation, first, second, or third-degree burns. Dry material is less irritating than wet material.

**Inhalation (Breathing):** Exposure to the solid product or to free chlorine evolving from the product may cause respiratory system effects to include irritation, redness of upper and lower airways, coughing, laryngospasm and edema, shortness of breath, bronchoconstriction, and possible pulmonary edema. The pulmonary edema may develop several hours after a severe acute exposure.

**Ingestion (Swallowing):** Exposure by ingestion may cause gastrointestinal effects to include irritation, nausea,

## ACL® 56 DISINFECTING GRANULES

SDS No.: M44623  
Supersedes Date: 2025-25-August

Rev. Date: 29-Sep-2025  
Rev. Num. 09

---

and vomiting. May cause local tissue damage to esophagus and stomach such as burning, inflammation, local ulceration, and may cause gastrointestinal bleeding.

**Chronic (Delayed) Symptoms/Effects:** Repeated and prolonged skin contact may cause a dermatitis.

**Protection of First-Aid Responders:** Protect yourself by avoiding contact with this material. Use personal protective equipment (PPE). Refer to Section 8 for specific PPE recommendations. Avoid contact with skin and eyes. Do not ingest. At minimum, treating personnel should utilize PPE sufficient for prevention of bloodborne pathogen transmission.

**Notes to Physician:** Need of immediate medical attention. Treat as a corrosive substance. This material is more irritating to the skin and eyes in the presence of water. For prolonged exposures and significant exposures, consider delayed injury to exposed tissues. There is no antidote. Cyanuric acid is readily removed from the body via the renal system and is not bioaccumulated. Treatment is supportive care. Follow normal parameters for airway, breathing, and circulation.

**Interaction with Other Chemicals Which Enhance Toxicity:** Contact with acids liberates toxic gas.

**Medical Conditions Aggravated by Exposure:** May aggravate preexisting conditions such as eye disorders that decrease tear production or have reduced integrity of the eye; skin disorders that compromise the integrity of the skin; and respiratory conditions including asthma and other breathing disorders.

---

## SECTION 5. FIRE FIGHTING MEASURES

---

**Fire Hazard:** This product is an Oxidizer; however, it will not moderately increase the burning rate of combustible materials with which it comes into contact. Heating the product over 80 °C (176 °F) may initiate a self-sustaining exothermic reaction which can increase the temperature to the decomposition point of 210 °C (410 °F), which can liberate harmful gases / toxic fumes. If heated by an outside source to decomposition temperature, there will be the evolution of noxious gases but no visible flame.

**Explosive properties:** Damp or wet material may generate nitrogen trichloride, an explosion hazard. See Section 10 for stability and reactivity precautions.

**Extinguishing Media:** Flood with copious amounts of water.

**Unsuitable Extinguishing Media:** DO NOT use ABC or other dry chemical extinguishers. There is the potential for a violent reaction if extinguishing with ABC or other dry chemical extinguishers. DO NOT USE carbon dioxide as an extinguishing agent. DO NOT USE halogenated extinguishing agents.

**Specific Hazards:** Contact with water slowly liberates irritating and hazardous chlorine containing gases.

**Unusual Hazards:** Material which appears undamaged, except for being damp on the outside, should be opened and inspected immediately. Use extreme caution when inspecting damaged packaging as damp or wet material may generate nitrogen trichloride, an explosion hazard and/or other hazardous and toxic gases.

**Fire Fighting:** Consider evacuation of personnel located downwind. Keep unnecessary people away, isolate hazard

---

## ACL® 56 DISINFECTING GRANULES

**SDS No.:** M44623  
**Supersedes Date:** 2025-25-August

**Rev. Date:** 29-Sep-2025  
**Rev. Num.** 09

---

areas and deny entry. Move container from the fire area if it can be done without risk. Avoid inhalation of material or combustion by-products. Stay upwind and keep out of low areas. Wear NIOSH approved positive-pressure self-contained breathing apparatus operated in pressure demand mode. Material which appears undamaged, except for being damp on the outside, should be opened and inspected immediately. DO NOT attempt to reseal contaminated drums. Damp material should be neutralized to a non-oxidizing state. Contact OxyChem for instructions for handling and disposal of damp material.

**Hazardous Combustion Products:** In case of fires, hazardous combustion gases are formed: Nitrogen (NO<sub>2</sub>); Hydrogen chloride (HCl); Chlorine (Cl<sub>2</sub>); nitrogen trichloride (explosion hazard!); Isocyanic acid; Carbon monoxide and carbon dioxide

**Sensitivity to Mechanical Impact:** Not sensitive.

**Sensitivity to Static Discharge:** Not sensitive.

**Lower Flammability Level (air):** Not flammable

**Upper Flammability Level (air):** Not flammable

**Flash point:** Not applicable

**Auto-ignition Temperature:** Not determined

### Physical Hazards of Significance Not Mentioned in GHS Classification

- Damp or wet material may generate nitrogen trichloride, an explosion hazard
  - This product is an Oxidizer; however, it will not moderately increase the burning rate of combustible materials with which it comes into contact
  - Heating the product over 80 °C (176 °F) may initiate a self-sustaining exothermic reaction which can increase the temperature to the decomposition point of 210 °C (410 °F), which can liberate harmful gases / toxic fumes
- 

## SECTION 6. ACCIDENTAL RELEASE MEASURES

---

**Personal Precautions:** Do not breathe dust, fumes, gas, mist, vapors, or spray. Wash hands and exposed skin and clothing thoroughly after handling. Do not touch eyes. Do not eat, drink, or smoke when using this product. Use only outdoors or in a well-ventilated area. Do not get in eyes, on skin or on clothing.

**Personal Protective Equipment:** Wear Personal Protective Equipment (PPE) for unknown or severely hazardous concentrations. See Section 8 for information on personal protective equipment.

**Emergency Procedures:** Evacuate unnecessary personnel and eliminate all sources of ignition. Isolate hazard areas and deny entry. Prevent material and runoff from entering sewers and waterways if it can be done safely well ahead of the release.

**Environmental Precautions:** This material is very toxic to aquatic life with long lasting effects. This material is alkaline and may raise the pH of surface waters with low buffering capacity. Keep out of water supplies and sewers. Releases should be reported, if required, to appropriate agencies.

---

## ACL® 56 DISINFECTING GRANULES

SDS No.: M44623  
Supersedes Date: 2025-25-August

Rev. Date: 29-Sep-2025  
Rev. Num. 09

---

**Methods and Materials for Containment, Confinement, and/or Abatement:** Contain spill. DO NOT add water to spilled material.

### Methods and Materials for Clean-up

**Recovery:** DO NOT attempt to reseal contaminated drums. DO NOT transport wet or damp material. Contain spilled material. Any spillage of ACL products should be cleaned up as soon as possible to prevent contamination with foreign materials with which it may react. Floor sweeping compounds should not be used. KEEP SPILLED MATERIAL DRY. If allowed to stand in damp or wet areas, tear producing vapors may result. Keep unneutralized ACL out of sewers, watersheds and water systems. Using clean, dedicated equipment, sweep and scoop up all spilled material, contaminated soil and other contaminated material and place into clean dry containers for disposal. Complete cleanup on a dry basis if possible. Sweeping compounds or other contaminants should not be mixed with the spilled product during this cleanup operation as fuming, fire or explosion may result. Follow all protective measures indicated in the "Personal Precautions and Personal Protective Equipment" sections of this document.

**Neutralization:** Damp material should be neutralized to a non-oxidizing state. The neutralization process involves the addition of waste ACL products to alkaline aqueous solutions maintained at a pH of 10.5 (e.g. sodium hydroxide; sodium carbonate; or sodium sulfite). At this pH (10.5), the major fraction of chlorine is destroyed by chemical reactions between chlorine and cyanuric acid contained in the waste ACL. THIS PROCESS SHOULD ONLY BE CARRIED OUT AFTER CAREFULLY REVIEWING THE ACL® WASTE NEUTRALIZING PROCEDURE PROVIDED BY OXYCHEM TECHNICAL SERVICE.

**Final Disposal:** For waste disposal, see section 13.

**Additional Disaster Prevention Measures:** Contact OxyChem for instructions for handling and disposal of damp material.

---

## SECTION 7. HANDLING AND STORAGE

---

### Handling:

#### Precautions for Safe Handling:

Do not smoke, eat, or drink while handling the product. Do not get in eyes, on skin, or on clothing. Avoid breathing vapors or dust when opening container. Avoid creation of dust. Wash thoroughly after handling. Wear personal protective equipment as described in Exposure Controls/Personal Protection (Section 8) of the SDS. NEVER add water to this product. Always add product to large quantities of water. Use clean, dry utensils. Do not add the product to any dispensing device containing residuals of other products. Take any precaution to avoid mixing with combustibles or incompatible materials. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

**Technical measures/precautions:** Due to the thermal decomposition properties of ACL 56, friction-producing equipment, such as screw conveyors or items with internal bearings, should be avoided whenever possible.

#### Other precautions:

Material which appears undamaged, except for being damp on the outside, should be opened and inspected immediately. Use extreme caution when inspecting damaged packaging as damp or wet material may generate nitrogen trichloride, an explosion hazard and/or other hazardous and toxic gases.

## ACL® 56 DISINFECTING GRANULES

SDS No.: M44623  
Supersedes Date: 2025-25-August

Rev. Date: 29-Sep-2025  
Rev. Num. 09

**Prevention of contact:** Provisions should be made to open and use ACL containers in well-ventilated work areas to protect handlers from excessive chlorine odor and dust. See Section 8, Exposure Controls and Personal Protection, for additional information.

### Storage:

**Safe Storage Conditions:** Store and handle in accordance with all current regulations and standards. Keep/Store away from clothing and other combustible materials. Store in original container and in a dry area where temperatures do not exceed 52 °C (125 °F) for 24 hours. Do not allow water to get in container. If liner is present, tie after each use. Keep container tightly closed and properly labeled. Store containers on pallets. Keep away from food, drink and animal feed. Keep separated from incompatible substances (see Section 10 of the Safety Data Sheet).

**Technical measures:** The product should be stored in a cool (temperatures not to exceed 125°F), dry, well-ventilated area, segregated from incompatible chemicals. This product is an Oxidizer; however, it will not moderately increase the burning rate of combustible materials with which it comes into contact. Therefore, if applicable, consult with your national, regional, and/or local fire codes to determine proper storage conditions.

**Incompatible Substances:** Precautions should be taken to prevent the mixing of these products with other incompatible chemicals during storage, handling and manufacture. Some incompatible chemicals include (but are not limited to): Strong acids or bases; Amino Compounds (amines; amides; ammonia, and ammonium salts) and hydrazines; Acetic acid and acetic anhydride; Alcohols (methyl, ethyl, isopropyl, etc.) and phenols; Alkenes and acetylene; Biuret; Calcium hypochlorite; Ethers; Fungicides; Glycerin; Mineral reducing agents (sulfides, bisulfites, thiosulfates, nitrites, cyanide salts, etc.); Oils and paints; Organic or mineral oxidizers (peroxides, perborates, percarbonates); Petroleum products (gasoline, kerosene, etc.); Urea. Substances not listed must be evaluated for compatibility prior to use.

**Packaging or Materials of Construction:** ACL products have excellent stability when they are properly packaged and stored; however, these materials can form enough chlorine-containing gases to cause deterioration of the container. Therefore, the standard shelf-life for packaged product (in bulk bags, plastic drums or pails) is two years. Note that local and/or national regulations must be consulted to verify if cardboard packaging is an approved specified packaging for the active ingredient due to shorter shelf-life of six months expected for this type of packaging. These guidelines are based on potential deterioration of packaging and not on degradation of product.

### Additional Information:

#### Physical Hazards of Significance Not Mentioned in GHS Classification

- Damp or wet material may generate nitrogen trichloride, an explosion hazard
- This product is an Oxidizer; however, it will not moderately increase the burning rate of combustible materials with which it comes into contact
- Heating the product over 80 °C (176 °F) may initiate a self-sustaining exothermic reaction which can increase the temperature to the decomposition point of 210 °C (410 °F), which can liberate harmful gases / toxic fumes

## SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### REGULATORY EXPOSURE LIMIT(S):

This product does not contain any components that have regulatory occupational exposure limits (OELs) established.

### NON-REGULATORY EXPOSURE LIMIT(S):

## ACL® 56 DISINFECTING GRANULES

**SDS No.:** M44623  
**Supersedes Date:** 2025-25-August

**Rev. Date:** 29-Sep-2025  
**Rev. Num.** 09

This product does not contain any components that have advisory (non-regulatory) occupational exposure limits (OELs). However, Occidental Chemical Corporation has tentatively established a Manufacturer Recommended Exposure Limit for a similar compound, Trichloroisocyanuric Acid, of 0.5 mg/m<sup>3</sup> for an 8-hour time weighted average (TWA). Contact manufacturer for further information addressing appropriate exposure monitoring / sampling methods. Recommended Exposure Limits (REL's) are non-regulatory occupational exposure limits the manufacturer has established based on health effects data.

**Additional Advice:** Chlorine and chlorine compounds may be found in slight amounts in the headspace of containers of this product.

**ENGINEERING CONTROLS:** Use only in well-ventilated areas. Provide local exhaust ventilation where dust or mist may be generated. Conventional mixer types can be used for the formulation of these products but should be designed or modified to minimize attrition, dusting or spilling. Provisions should be made to collect any dust from the mixer in a suitable dust-collecting system. Note, the dust collection system for ACL products should not be used to collect dust from materials that will react with ACL products. All equipment should be thoroughly cleaned before and after mixing to prevent the possibility of undesired reactions or fire as a result of accidental contamination. Ensure compliance with applicable exposure limits.

### PERSONAL PROTECTIVE EQUIPMENT:

**Eye Protection:** Wear chemical safety goggles with a face shield to protect against eye and skin contact when appropriate. Provide an emergency eyewash fountain and quick drench shower in the immediate work area.

**Skin and Body Protection:** Wear protective clothing to minimize skin contact. When potential for contact with dry material exists, wear disposable coveralls suitable for dust exposure, such as Tyvek®. Contaminated clothing should be removed and laundered before reuse.

**Hand Protection:** Wear appropriate chemical resistant gloves. Consult a glove manufacturer for assistance in selecting an appropriate chemical resistant glove.

**Protective Material Types:** Butyl rubber, Natural rubber, Neoprene, Nitrile, Polyvinyl chloride (PVC), Tyvek®.

**Respiratory Protection:** A NIOSH approved respirator with N95 (dust, fume, mist) cartridges may be permissible under certain circumstances where airborne concentrations are expected to exceed exposure limits, or when symptoms have been observed that are indicative of overexposure. The added protection of a full face-piece respirator is required when visible dusty conditions are encountered and eye irritation may occur. Acid gas cartridges with N95 filters are required when fumes or vapor may be generated. A respiratory protection program that meets 29 CFR 1910.134 must be followed whenever workplace conditions warrant use of a respirator.

**Other Protective Equipment:** No information available.

---

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

---

<b>Appearance:</b>	Granules, Crystals
<b>Physical State:</b>	Solid

---

**ACL® 56 DISINFECTING GRANULES**

SDS No.: M44623  
Supersedes Date: 2025-25-August

Rev. Date: 29-Sep-2025  
Rev. Num. 09

<b>Color:</b>	White
<b>Odor:</b>	Slight chlorine odor
<b>Odor Threshold [ppm]:</b>	Not Available
<b>Melting Point/Range:</b>	The substance decomposes at 250°C without melting
<b>Freezing Point/Range:</b>	Not applicable
<b>Boiling Point °C</b>	Not applicable
<b>Evaporation Rate (ether=1):</b>	Not applicable
<b>Flammability (solid, gas):</b>	Not highly flammable (EU method A.10)
<b>Lower Flammability Level (air):</b>	Not flammable
<b>Upper Flammability Level (air):</b>	Not flammable
<b>Explosion limits:</b>	Not determined
<b>Flash point:</b>	Not applicable
<b>Auto-ignition Temperature:</b>	Not determined
<b>Decomposition Temperature:</b>	The substance dehydrates to sodium dichloroisocyanurate (CAS No. 2893-78-9) at 40 - 100°C before decomposing at 250°C without melting
<b>pH:</b>	6.17 (50 ppm av chlorine in Demineralized water with pH 5.32) 5.84 (6000 ppm av chlorine in Demineralized water with pH 5.32) 7.46 (50 ppm av chlorine in Tap water with pH 7.95) 6.48 (6000 ppm av chlorine in Tap water with pH 7.95)
<b>Viscosity:</b>	Not applicable
<b>Kinematic Viscosity:</b>	Not applicable
<b>Water Solubility:</b>	17 000 mg/l (10°C) 22 500 mg/l (20°C) 31 000 mg/l (30°C)
<b>Partition Coefficient (n-octanol/water):</b>	Log Pow = -0.0556
<b>Vapor Pressure:</b>	<0.06 Pa @ 20C
<b>Density:</b>	No data available
<b>Relative Density/Specific Gravity (water=1):</b>	1.97 g/mL ± 0.04 at 25°C
<b>Vapor Density (air=1):</b>	Not applicable
<b>Particle Size Distribution:</b>	Size of actual cut typically ranges 250 - 1700 microns with <0.3% less than 100 microns and <0.06% less than 10 microns (limit of respirable particles)

**Other Information**

<b>Molecular Formula:</b>	C3N3O3Cl2Na.2H2O
<b>Chemical Family:</b>	CHLORINATED ISOCYANURATES
<b>Molecular Weight:</b>	255.98
<b>Explosive properties:</b>	Not applicable.
<b>Oxidizing properties:</b>	The [U.S.] National Fire Protection Association (NFPA) Code 400 (2025) "Hazardous Material Code": NFPA Class 1 Oxidizer (• slightly increase the burning rate of combustible materials. • do not cause spontaneous ignition when they come in contact with them).
<b>Bulk Density:</b>	1.09 g/mL at 25°C (bulk density) 0.974 ± 0.003 g/mL (pour density) 1.083 ± 0.007 g/mL (tap density)
<b>Volatility:</b>	Not applicable

## ACL® 56 DISINFECTING GRANULES

SDS No.: M44623  
Supersedes Date: 2025-25-August

Rev. Date: 29-Sep-2025  
Rev. Num. 09

---

## SECTION 10. STABILITY AND REACTIVITY

---

**Chemical Stability:** Stable, not reactive under normal temperatures and pressures.

**Reactivity:** Not reactive under normal temperatures and pressures.

**Possibility of Hazardous Reactions:** Do not get water inside container. Wet material may generate nitrogen trichloride, an explosion hazard. Avoid contact with easily oxidizable organic material. Contact with acids liberates toxic gas. Contamination with moisture, organic material, or other incompatible chemicals may start a reaction with generation of heat, liberation of hazardous gases, and possible fire and explosion. ACL in the presence of ammonia gas or aqueous solutions of ammonia will generate hazardous amounts of explosive nitrogen trichloride. Contamination with oils and greases may cause decomposition of ACL with formation of CO<sub>2</sub>, Cl<sub>2</sub>, and other toxic gases. Hydrogen peroxide may react violently with ACL with liberation of oxygen.

**Conditions to Avoid (e.g., static discharge, shock, or vibration):** The material in itself is very stable to static discharge, shock or vibration. It does not present a dust explosion hazard.

**Incompatible Substances:** Precautions should be taken to prevent the mixing of these products with other incompatible chemicals during storage, handling and manufacture. Some incompatible chemicals include (but are not limited to): Strong acids or bases; Amino Compounds (amines; amides; ammonia, and ammonium salts) and hydrazines; Acetic acid and acetic anhydride; Alcohols (methyl, ethyl, isopropyl, etc.) and phenols; Alkenes and acetylene; Biuret; Calcium hypochlorite; Ethers; Fungicides; Glycerin; Mineral reducing agents (sulfides, bisulfites, thiosulfates, nitrites, cyanide salts, etc.); Oils and paints; Organic or mineral oxidizers (peroxides, perborates, percarbonates); Petroleum products (gasoline, kerosene, etc.); Urea. Substances not listed must be evaluated for compatibility prior to use.

**Hazardous Decomposition Products:** Chlorine, Nitrogen, Nitrogen Trichloride, Cyanogen Chloride, Oxides of Carbon, Phosgene, Chloramines.

**Hazardous Polymerization:** Not expected to occur.

---

## SECTION 11. TOXICOLOGICAL INFORMATION

---

### POTENTIAL HEALTH EFFECTS:

#### TOXICITY:

Monosodium cyanurate was administered via drinking water to rats for 104 weeks at concentrations of 0, 400, 1200, 2400, and 5375 ppm (solubility limit). No compound-related effects on body weights, clinical signs of toxicity or food or water consumption were noted during the study. An increased incidence of gross lesions in the urinary tract, calculi in

## ACL® 56 DISINFECTING GRANULES

SDS No.: M44623  
Supersedes Date: 2025-25-August

Rev. Date: 29-Sep-2025  
Rev. Num. 09

the kidney and lesions in the heart were observed in males receiving the highest dose level of 5375 ppm (solubility limit). The health effects seen in this study were due to precipitation of the test substance in the urinary tract when the test substance was fed at the solubility limit. Adverse health effects were not seen at lower doses where precipitation did not occur.

### ACUTE TOXICITY:

**Eye contact:** Exposure to material may cause serious eye damage. Significant and prolonged contact may cause damage to the internal eye structures.

**Skin contact:** Exposure to solids along with moisture may cause redness, irritation, burning sensation, swelling, blister formation, first, second, or third-degree burns. Dry material is less irritating than wet material.

**Inhalation:** This material in the form as sold is NOT expected to produce respiratory effects. Particles of respirable size are generally not encountered. The respirable fraction is typically less than 0.1% by weight for the granular and extra granular grades. If ground or otherwise in a powdered form, effects similar to a corrosive substance may occur. Exposure to the solid product or to free chlorine evolving from the product may cause irritation, redness of upper and lower airways, coughing, laryngospasm and edema, shortness of breath, bronchoconstriction, and possible pulmonary edema. The pulmonary edema may develop several hours after a severe acute exposure.

**Ingestion:** Ingestion is not a likely route of exposure; however, the material is harmful if swallowed.

### CHRONIC TOXICITY:

**Chronic Effects:** No chronic health effects are identified for the parent chemical. Based on animal studies, exposure to concentrations of monosodium cyanurate at the solubility limit may cause cardiovascular, kidney and urinary bladder effects.

### SIGNS AND SYMPTOMS OF EXPOSURE:

**Inhalation (Breathing):** Exposure to the solid product or to free chlorine evolving from the product may cause respiratory system effects to include irritation, redness of upper and lower airways, coughing, laryngospasm and edema, shortness of breath, bronchoconstriction, and possible pulmonary edema. The pulmonary edema may develop several hours after a severe acute exposure.

**Skin:** Signs and symptoms of exposure to skin may include redness, irritation, burning sensation, swelling, blister formation, first, second, or third-degree burns. Dry material is less irritating than wet material.

**Eye:** Signs and symptoms of exposure to the eyes, include irritation and burns to the eyelids, conjunctivitis, corneal edema, and corneal burn. Significant and prolonged contact may cause damage to internal eye structures, including blindness.

**Ingestion (Swallowing):** Exposure by ingestion may cause gastrointestinal effects to include irritation, nausea, and vomiting. May cause local tissue damage to esophagus and stomach such as burning, inflammation, local ulceration, and may cause gastrointestinal bleeding.

**Interaction with Other Chemicals Which Enhance Toxicity:** Contact with acids liberates toxic gas.

### GHS HEALTH HAZARDS:

**GHS: CONTACT HAZARD - SKIN:** Category 1 - Causes severe skin burns and eye damage

**GHS: CONTACT HAZARD - EYE:** Category 1 - Causes serious eye damage

**GHS: ACUTE TOXICITY - ORAL:** Category 4 - Harmful if swallowed

**GHS: TARGET ORGAN TOXICITY (SINGLE EXPOSURE):**

Category 3 - May cause respiratory tract irritation

### TOXICITY DATA:

**ACL® 56 DISINFECTING GRANULES**

**SDS No.:** M44623  
**Supersedes Date:** 2025-25-August

**Rev. Date:** 29-Sep-2025  
**Rev. Num.** 09

**PRODUCT TOXICITY DATA:** Product level testing data as noted below:

<b>LD50 Oral:</b> 1823 mg/kg (Rat)	<b>LD50 Dermal:</b> >5000 mg/kg (Rabbit)	<b>LC50 Inhalation:</b> > 0.27 - < 1.17 mg/L (4 hr - Rat)
---------------------------------------	---	--

**COMPONENT TOXICITY DATA:**

The component toxicity data is populated by an outside subscription service database and may differ from the product toxicity data given above.

Component	Oral LD50	Dermal LD50	Inhalation LC50
Sodium dichloroisocyanurate dihydrate 51580-86-0	1823 mg/kg (Rat)	No data available	0.27 - 1.17 mg/L (Rat) 4 h

**EYE IRRITATION/CORROSION:** Severe eye irritation involving the cornea, iris, and conjunctivae was noted in a 21-day acute eye irritation study on rabbits. On day 7 the corneas of all rabbits were not observable due to the nictitating membrane that was adhered to the cornea and in some rabbits the cornea appeared to be ruptured. This product is classified as causing serious eye damage (Category 1, H318) under GHS classification criteria.

**Standard Draize (Eye):** PRIMARY EYE IRRITATION: Severe Irritation, Corrosive (rabbit, 24 hr.).

**SKIN IRRITATION/CORROSION:** A study on sodium dichloroisocyanurate dihydrate applied to the skin of rabbits showed it to be highly corrosive. The substance caused erythema, edema, and necrosis, leading to its classification as a skin corrosive category 1 under CLP. This product is classified as causing severe skin burns (Category 1, H314), according to GHS classification criteria.

**Standard Draize (Skin):** PRIMARY SKIN IRRITATION: Severe Irritation, Corrosive (rabbit, 24 hr)

**SKIN ABSORBENT/DERMAL ROUTE:** NO.

Not expected to cause health effects upon potential absorption.

**RESPIRATORY OR SKIN SENSITIZATION:** Not classified as a skin or respiratory sensitizer per GHS and/or CLP criteria.

**CARCINOGENICITY:** Not classified as a carcinogen per GHS and/or CLP criteria.

**SPECIFIC TARGET ORGAN TOXICITY (Single Exposure):** Category 3 - May cause respiratory irritation.

**SPECIFIC TARGET ORGAN TOXICITY (Repeated or Prolonged Exposure):** The substance is not classified as a specific target organ toxicant upon repeated exposure per GHS and/or CLP criteria.

**INHALATION HAZARD:** Although the LC50 results of 0.27 - 1.17 mg/L (4 hr - rat) would indicate that the material would be toxic if inhaled, in the study the test material was ground to ensure a respirable powder. Size of actual cut typically ranges 250 - 1700 microns with <0.3% less than 100 microns and <0.06% less than 10 microns (limit of respirable particles). The "form or physical shape" and "reasonably expected use" of a substance is relevant for classification. Article 5(1) of 1.2 of the Guidance to the CLP. Therefore, the result from the inhalation study is not considered to be applicable for classification and labelling purposes and the product is not classified as acutely toxic by inhalation.

**ACL® 56 DISINFECTING GRANULES**

**SDS No.:** M44623  
**Supersedes Date:** 2025-25-August

**Rev. Date:** 29-Sep-2025  
**Rev. Num.** 09

**INGESTION HAZARD:** LD50 Acute Toxicity Estimates meet the GHS and/or CLP classification criteria of greater than 300 mg/kg and less than or equal to 2000 mg/kg. Therefore, this mixture is classified as Category 4 Acute Toxin Oral (harmful if swallowed).

**IN-VITRO / IN-VIVO GENOTOXICITY:** Not classified as a mutagen per GHS and/or CLP criteria. Not mutagenic in 5 Salmonella strains and 1 E. coli strain with or without mammalian microsomal activation.

**REPRODUCTIVE TOXICITY:** Not classified as a reproductive toxin per GHS and/or CLP criteria. There are no known or recorded effects on reproductive function or fetal development.

**ASPIRATION HAZARD:** Based on available data, the classification criteria are not met.

**TOXICOKINETICS:** Sodium dichloroisocyanurate dihydrate (NaDCC) is unstable in the body, particularly the stomach because the free available chlorine is rapidly reduced. Cyanuric acid (CYA), or its salt, is the stable degradation product. Therefore, CYA or its sodium salt is the substance of interest for toxicokinetic studies. Studies on the toxicokinetic of radiolabeled sodium cyanurate show high absorption (over 98%) from the gastrointestinal tract in dogs and rats, with no metabolism or accumulation. This finding is supported by a human study where over 98% of cyanuric acid was recovered in urine within 24 hours. Dermal absorption studies indicate minimal absorption through human skin, suggesting oral ingestion as the primary route of exposure. There is no bioaccumulation potential for the product.

**METABOLISM:** See Toxicokinetics above.

**BIOLOGICAL DISTRIBUTION:** See Toxicokinetics above.

**PATHOGENICITY AND ACUTE INFECTIOUSNESS (ORAL, DERMAL, AND INHALATION):** Not applicable.

**ENDOCRINE DISRUPTOR:** This product does not contain any known or suspected endocrine disruptors.

**NEUROTOXICITY:** Not Available.

**IMMUNOTOXICITY:** Not Available.

**Health Hazards of Significance Not Mentioned in GHS Classification**

- Damp or wet material may generate hazardous and toxic gases
- Contact with water slowly liberates irritating and hazardous chlorine containing gases
- Heating the product over 80 °C (176 °F) may initiate a self-sustaining exothermic reaction which can increase the temperature to the decomposition point of 210 °C (410 °F), which can liberate harmful gases / toxic fumes
- Contact with acids liberates toxic gas
- Inhalation of respirable fraction (e.g., typically <10 microns) of this material may cause toxic effects

## SECTION 12. ECOLOGICAL INFORMATION

**ECOTOXICITY (EC, IC, and LC):**

Component:	Freshwater Fish:	Invertebrate Toxicity:	Algae Toxicity:	Other Toxicity:
Sodium dichloroisocyanurate	*LC50 Lepomis	*EC50 Daphnia	No data available	No data available

**ACL® 56 DISINFECTING GRANULES**

SDS No.: M44623  
Supersedes Date: 2025-25-August

Rev. Date: 29-Sep-2025  
Rev. Num. 09

dihydrate 51580-86-0 (98 - 100 %)	macrochirus: 0.25 - 1 mg/L 96h static *LC50 Lepomis macrochirus: 0.207 - 0.389 mg/L 96h flow-through *LC50 Oncorhynchus mykiss: 0.176 - 0.267 mg/L 96h flow-through *LC50 Oncorhynchus mykiss: 0.29 mg/L 96h *LC50 Oncorhynchus mykiss: 0.13 - 0.36 mg/L 96h static	magna: 0.00018 - 0.00021 mg/L 48h *EC50 Daphnia magna: 0.093 - 0.16 mg/L 48h		
--------------------------------------	--	--	--	--

**Fish Toxicity:**

LC50 Bluegill sunfish: 0.25-1.0 mg/L (96 hour)  
LC50 Rainbow trout: 0.13-0.36 mg/L (96 hour)  
LC50 Inland silversides: 1.21 mg/L (96 hour)

**Invertebrate Toxicity:**

LC50 Water flea: 0.196 mg/L (48 hour)  
LC50 Mysid shrimp: 1.65 mg/L (96 hour)

**Other Toxicity:**

LD50 Mallard duck (oral): No Data  
LD50 N. Bobwhite Quail (oral): 1,766 mg/kg  
LC50 Mallard duck (diet): >5,000 ppm  
LC50 N. Bobwhite Quail (diet): No Data

**FATE AND TRANSPORT:**

**PERSISTENCE:** NaDCC dihydrate rapidly hydrolyses to Hypochlorous Acid (HOCl) and Cyanuric Acid (CYA) on contact with water as the free available chlorine is reduced by reaction with various impurities in the water it is converted into chloride ions and additional free chlorine is released from the chlorinated isocyanurates in solution. Once all the available chlorine has been reduced, stable reaction products are cyanuric acid or its salts and chloride salts. CYA degrades readily under a wide variety of natural conditions. Therefore, CYA has been shown to not persist in the environment.

**BIODEGRADATION:** This material is subject to hydrolysis. Cyanuric acid produced by hydrolysis is biodegradable.

**BIOCONCENTRATION:** This material hydrolyses in water liberating free available chlorine and cyanuric acid. These products are not bioaccumulative.

**BIOACCUMULATIVE POTENTIAL:** No bioaccumulation data is available for isocyanuric acid in fish or aquatic organisms, but it is not expected to bioaccumulate due to its low octanol-water partition coefficient (-0.0556). Isocyanuric acid is eliminated unchanged from the bodies of rats, dogs, and humans.

## ACL® 56 DISINFECTING GRANULES

SDS No.: M44623  
Supersedes Date: 2025-25-August

Rev. Date: 29-Sep-2025  
Rev. Num. 09

**MOBILITY IN SOIL:** The soil partition coefficient is a measure of a compound's tendency to partition to soils and sediments. Substance hydrolyses rapidly in soil.

### ADDITIONAL ECOLOGICAL INFORMATION:

**Persistent, Bioaccumulative, and Toxic (PBT) and Very Persistent and Very Bioaccumulative (vPvB) Assessment:**

This product does not fulfill the criteria for persistence, bioaccumulation, and toxicity. Therefore, this substance is not considered a PBT or a vPvB substance.

## SECTION 13. DISPOSAL CONSIDERATIONS

### Waste from material:

Use or reuse if possible. Dispose in accordance with all applicable regulations. Do not put product, spilled product, or filled or partially filled containers into the trash or waste compactor. DO NOT transport wet or damp material. Damp material should be neutralized to a non-oxidizing state. Contact OxyChem for instructions for handling and disposal of damp material.

### Container Management:

See product label for container disposal information. Dispose of container in accordance with applicable local, regional, national, and/or international regulations. Container rinsate must be disposed of in compliance with applicable regulations.

## SECTION 14. TRANSPORT INFORMATION

### LAND TRANSPORT

#### U.S. DOT 49 CFR 172.101:

**Status:** Non-Bulk Packaging: Not Regulated unless transported by vessel.  
Bulk Packaging or Shipment by Vessel: Regulated as follows:  
**UN NUMBER:** UN3077  
**PROPER SHIPPING NAME:** Environmentally Hazardous Substance, Solid, n.o.s. (Trosclosene sodium, dihydrate), Marine Pollutant  
**HAZARD CLASS/ DIVISION:** 9  
**PACKING GROUP:** III  
**LABELING REQUIREMENTS:** 9, Marine Pollutant  
**MARINE POLLUTANT:** Trosclosene sodium, dihydrate

#### CANADIAN TRANSPORTATION OF DANGEROUS GOODS:

**Status:** Non-Bulk Packaging: Not Regulated unless transported by vessel.  
Bulk Packaging or Shipment by Vessel: Regulated as follows:

## ACL® 56 DISINFECTING GRANULES

SDS No.: M44623  
Supersedes Date: 2025-25-August

Rev. Date: 29-Sep-2025  
Rev. Num. 09

---

**UN NUMBER:** UN3077  
**SHIPPING NAME:** Environmentally Hazardous Substance, Solid, n.o.s. (Trosclosene sodium, dihydrate), Marine Pollutant  
**CLASS OR DIVISION:** 9  
**PACKING/RISK GROUP:** III  
**LABELING REQUIREMENTS:** 9, Marine Pollutant  
**CAN. MARINE POLLUTANT:** Trosclosene sodium, dihydrate

### MARITIME TRANSPORT (IMO / IMDG)

**Status - IMO / IMDG:** Shipment by Vessel: Regulated.

**UN NUMBER:** UN3077  
**PROPER SHIPPING NAME:** Environmentally Hazardous Substance, Solid, n.o.s. (Trosclosene sodium, dihydrate), Marine Pollutant  
**HAZARD CLASS / DIVISION:** 9, Marine Pollutant  
**Packing Group:** III  
**LABELING REQUIREMENTS:** 9, Marine Pollutant  
**MARINE POLLUTANT:** Trosclosene sodium, dihydrate

### AIR TRANSPORT (ICAO / IATA)

**Special Instructions CAO:** IATA Certificate for shipping personnel is required

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code:** Bulk Packaging or Shipment by Vessel: Regulated.

---

## SECTION 15. REGULATORY INFORMATION

---

### U.S. REGULATIONS

**OSHA REGULATORY STATUS:**

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

**CERCLA SECTIONS 102a/103 HAZARDOUS SUBSTANCES (40 CFR 302.4):**

Not regulated.

**SARA EHS Chemical (40 CFR 355.30)**

Not regulated.

**SARA HAZARD CATEGORIES ALIGNED WITH GHS (2018):**

Health Hazard - Acute Toxin (any route of exposure)  
Health Hazard - Skin Corrosion or Irritation  
Health Hazard - Serious eye damage or eye irritation  
Health Hazard - Specific Target Organ Toxicity (STOT) Single Exposure (SE)

**EPCRA SECTION 313 (40 CFR 372.65):**

Not regulated.

---

**ACL® 56 DISINFECTING GRANULES**

**SDS No.:** M44623  
**Supersedes Date:** 2025-25-August

**Rev. Date:** 29-Sep-2025  
**Rev. Num.** 09

**DEPARTMENT OF HOMELAND SECURITY (DHS)- Chemical Facility Anti-Terrorism Standards (6 CFR 27):**

No components in this material are regulated under DHS

**OSHA PROCESS SAFETY (PSM) (29 CFR 1910.119):**

Not regulated.

**FIFRA REGULATIONS:** Registered pesticide under 40 CFR 152.10, Federal Insecticide, Fungicide and Rodenticide Act (FIFRA). EPA Reg. No. 935-42 (ACL® 56 Disinfecting Granules).

**FIFRA LABELING REQUIREMENTS:** - This chemical is a pesticide product registered by the United States Environmental Protection Agency (EPA) and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.

- FIFRA Signal Word - DANGER
- Corrosive
- Causes irreversible eye damage
- May be fatal if inhaled
- Harmful if swallowed or absorbed through skin
- This pesticide is toxic to fish and aquatic organisms
- Strong oxidizing agent
- Contact with water slowly liberates irritating and hazardous chlorine containing gases
- Decomposes at temperatures above 464 °F with liberation of harmful gases
- When ignited will burn with the evolution of chlorine and equally toxic gases
- NEVER add water to product
- Always add product to large quantities of water
- Use only clean and dry utensils
- DO NOT add this product to any dispensing device containing remnants of any other product
- Such use may cause a violent reaction leading to fire or explosion
- Contamination with moisture, organic material, or other incompatible chemicals may start a reaction with generation of heat, liberation of hazardous gases, and possible fire and explosion

**EPA'S CLEAN WATER AND CLEAN AIR ACTS:**

Component(s) not listed on impacted regulatory lists.

**NATIONAL INVENTORY STATUS****U.S. INVENTORY STATUS: Toxic Substance Control Act (TSCA):**

Component	TSCA Inventory	TSCA ACTIVE LIST	TSCA 12(b)	TSCA/Section 4	TSCA/Section 5	TSCA/Section 6	TSCA/Section 8
Sodium dichloroisocyanurate dihydrate 51580-86-0 (98 - 100 %)	Not Listed	Hydrates are exempt	Not Listed	Not listed	Not Listed	Not Listed	Not listed

**Canadian Chemical Inventory:** All components of this product are listed on either the DSL or the NDSL.

Component	DSL	NDSL
Sodium dichloroisocyanurate dihydrate 51580-86-0 (98 - 100 %)	Hydrates are exempt	Not Listed

**ACL® 56 DISINFECTING GRANULES**

**SDS No.:** M44623  
**Supersedes Date:** 2025-25-August

**Rev. Date:** 29-Sep-2025  
**Rev. Num.** 09

**STATE REGULATIONS****California Proposition 65:**

This product is not listed on the California Governor's current list of Carcinogens, Reproductive Toxicants, and/or Candidate Carcinogens (Proposition 65), but it may contain trace amounts of impurities that are listed. For additional information, contact Occidental Chemical Corporation Customer Service (1-800-752-5151 or 1-972-404-3700).

Component	U.S. - California - Proposition 65 - Carcinogens List	CA. Prop. 65 Teratogen	California Proposition 65 CRT List - Male reproductive toxin:	California Proposition 65 CRT List - Female reproductive toxin:	Massachusetts Right to Know Hazardous Substance List	Rhode Island Right to Know Hazardous Substance List
Sodium dichloroisocyanurate dihydrate 51580-86-0 (98 - 100 %)	Not listed	Not listed	Not Listed	Not Listed	Listed	Listed

Component	New Jersey Right to Know Hazardous Substance List	New Jersey Special Health Hazards Substance List	New Jersey - Environmental Hazardous Substance List	Pennsylvania Right to Know Hazardous Substance List	Pennsylvania Right to Know Special Hazardous Substances	Pennsylvania Right to Know Environmental Hazard List
Sodium dichloroisocyanurate dihydrate	Not Listed	Not Listed	Not Listed	Listed	Not Listed	Not Listed

**CANADIAN REGULATIONS**

This product has been classified in accordance with the hazard criteria of the Workplace Hazardous Materials Information System (WHMIS 2015) which includes the amended Hazardous Products Act (HPA) and the Hazardous Product Regulations (HPR).

Component	Canada - CEPA - Schedule I - List of Toxic Substances	Canada - NPRI	Canada - CEPA - Greenhouse Gases (GHG) Subject to Mandatory Reporting	Canadian Chemical Inventory:	NDSL
Sodium dichloroisocyanurate dihydrate 51580-86-0 (98 - 100)	Not listed	Not Listed	Not Listed	Hydrates are exempt	Not Listed

**SECTION 16. OTHER INFORMATION**

**Prepared by:** Occidental Chemical Corporation - HES&S Product Stewardship Department

**Rev. Date:** 29-Sep-2025

**Reason for Revision:**

- Corrected NFPA Statement in Section 9
- Revised WHMIS statement in Section 15 to reflect current regulation
- SDS format adopts revisions to the Hazardous Products Regulations (HPR) to include revisions to "Section 9: Physical and chemical properties" and ensures classification with at a minimum the seventh revised edition of GHS

## ACL® 56 DISINFECTING GRANULES

**SDS No.:** M44623

**Supersedes Date:** 2025-25-August

**Rev. Date:** 29-Sep-2025

**Rev. Num.** 09

---

and certain elements from the eighth revised edition (Revision 8)

• SDS format adopts revisions to the OSHA's 2024 Hazard Communication Rule 29CFR 1910.1200 and ensures classification with at a minimum the seventh revised edition of GHS and certain elements from the eighth revised edition (Revision 8)

### **IMPORTANT:**

Important: The information presented herein, while not guaranteed, was prepared by technical personnel and is true and accurate to the best of our current knowledge. NO WARRANTY OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE, OR WARRANTY OR GUARANTY OF ANY OTHER KIND, EXPRESS OR IMPLIED, IS MADE REGARDING PERFORMANCE, SAFETY, SUITABILITY, STABILITY OR OTHERWISE. This information is not intended to be all-inclusive as to the manner and conditions of use, handling, storage, disposal, and other factors that may involve other or additional legal, environmental, safety or performance considerations, and Occidental Chemical Corporation assumes no liability whatsoever for the use of or reliance upon this information. Appropriate handling and use of the product remains the responsibility of the customer. No suggestions for use are intended as, and nothing herein shall be construed as, a recommendation to infringe any existing patents or to violate any Federal, State, local or foreign laws.

OSHA Standard 29 CFR 1910.1200 requires that information be provided to employees regarding the hazards of chemicals by means of a hazard communication program including labeling, safety data sheets, training and access to written records. We request that you, and it is your legal duty to, make all information in this Safety Data Sheet available to your employees.

---

**End of Safety Data Sheet**