

SAFETY DATA SHEET

M47022 - North America - EN



TECHNICAL SODIUM CHLORITE (PESTICIDE)

SDS No.: M47022

Rev. Date: 01-Sep-2020

SECTION 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Company Identification:	Occidental Chemical Corporation 14555 Dallas Parkway, Suite 400, Dallas, Texas 75254-4300
24 Hour Emergency Telephone Number:	1-800-733-3665 (USA); CANUTEC (Canada): 1-613-996-6666; CHEMTREC (within USA and Canada): 1-800-424-9300; CHEMTREC (outside USA and Canada): +1 703-527-3887; CHEMTREC Contract No: CCN16186
To Request an SDS:	MSDS@oxy.com or 1-972-404-3245
Customer Service:	1-800-752-5151 or 1-972-404-3700
Product Identifier:	TECHNICAL SODIUM CHLORITE (PESTICIDE)
Trade Name:	Technical Sodium Chlorite
Synonyms:	Sodium Chlorite Dry; Chlorous Acid, Sodium Salt
Product Use:	Technical Sodium Chlorite is a registered antimicrobial pesticide (EPA Registration Number: 5382-42). Its uses are potable water, industrial cooling water, mollusk control, food plant process water, wastewater, slime control in paper mills, and oilfield water.
Restrictions on Use (United States):	This is a pesticide product; do not use in a pesticide application that is not approved by the EPA. EPA Reg. No. 5382-42 (Technical Sodium Chlorite).
Other Global Restrictions on Use:	This product is registered as a pesticide in Canada under PCP Reg No. 25361. However, Pulp and Paper and Cooling Tower Treatment are currently the only registered uses in Canada. Other restrictions on use based on local, regional, or national regulations may exist and must be determined on a case-by-case basis.
Chemical Family:	Sodium Chlorite

TECHNICAL SODIUM CHLORITE (PESTICIDE)

SDS No.: M47022

Rev. Date: 01-Sep-2020

SECTION 2. HAZARDS IDENTIFICATION

OSHA REGULATORY STATUS: This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

EMERGENCY OVERVIEW:

Color: White
Physical State: Solid
Appearance: Flakes
Odor: Chlorine

Signal Word: **DANGER**

MAJOR HEALTH HAZARDS: CORROSIVE TO EYES AND SKIN. CAUSES SEVERE SKIN BURNS AND EYE DAMAGE. TOXIC IF SWALLOWED. FATAL IN CONTACT WITH SKIN. FATAL IF INHALED. INHALATION MAY CAUSE DAMAGE TO THE RESPIRATORY SYSTEM. MAY CAUSE DAMAGE TO CARDIOVASCULAR SYSTEM; BLOOD; SPLEEN; DIGESTIVE SYSTEM; AND STOMACH THROUGH PROLONGED OR REPEATED EXPOSURE VIA ORAL ROUTE.

PHYSICAL HAZARDS: STRONG OXIDIZER. Contact with other materials may cause fire or explosion. MAY BE CORROSIVE TO METALS.

AQUATIC TOXICITY: VERY TOXIC TO AQUATIC LIFE, FOR ACUTE EXPOSURES. HARMFUL TO AQUATIC LIFE WITH LONG LASTING EFFECTS, FOR CHRONIC EXPOSURES.

PRECAUTIONARY STATEMENTS: Keep away from heat/ sparks/ open flames/ hot surfaces - No smoking. Keep/ Store away from clothing and other combustible materials. Take any precaution to avoid mixing with combustibles or incompatible materials. Keep only in original container or container compatible with product (see Section 7 - Safe Storage Conditions). Do not breathe dust. Do not get in eyes, on skin, or on clothing. Wash skin and contaminated clothing thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Avoid release to the environment. Wear protective gloves, protective clothing, eye, and face protection. In case of inadequate ventilation, wear respiratory protection.

ADDITIONAL HAZARD INFORMATION: This material is corrosive and an oxidizer. This material's pH and oxidative action contribute to its health and physical hazards.

HAZARD CLASSIFICATION:

GHS: PHYSICAL HAZARDS:	Oxidizing Solid - Category 2 - May intensify fire; oxidizer Category 1 - May be corrosive to metals
-------------------------------	--

TECHNICAL SODIUM CHLORITE (PESTICIDE)

SDS No.: M47022

Rev. Date: 01-Sep-2020

GHS: CONTACT HAZARD - SKIN:	Category 1B - Causes severe skin burns and eye damage
GHS: CONTACT HAZARD - EYE:	Category 1 - Causes serious eye damage
GHS: ACUTE TOXICITY - INHALATION:	Category 2 - Fatal if inhaled
GHS: ACUTE TOXICITY - DERMAL:	Category 2 - Fatal in contact with skin
GHS: ACUTE TOXICITY - ORAL:	Category 3 - Toxic if swallowed
GHS: TARGET ORGAN TOXICITY (REPEATED EXPOSURE):	Category 2 - May cause damage to blood, spleen, and stomach through prolonged or repeated exposure
HAZARDS NOT OTHERWISE CLASSIFIED (HNOC):	- AQUATIC TOXICITY - ACUTE: Category 1 (Very toxic to aquatic life) - ACQUATIC TOXICITY - CHRONIC: Category 3 (Harmful to aquatic life with long lasting effects)

GHS SYMBOL: Oxidizer, Skull and Crossbones, Corrosion, Health hazard, Environmental hazard**GHS SIGNAL WORD:** **DANGER****GHS HAZARD STATEMENTS:****GHS - Physical Hazard Statement(s)**

- May intensify fire; oxidizer
- May be corrosive to metals

GHS - Health Hazard Statement(s) -

- Toxic if swallowed
- Fatal in contact with skin
- Causes severe skin burns and eye damage
- Fatal if inhaled
- May cause damage to blood, spleen, and stomach through prolonged or repeated exposure

Additional Hazards - GHS Hazards Not Otherwise Classified (HNOC):

- ACUTE AQUATIC HAZARD - CATEGORY 1: Very toxic to aquatic life
- ACUTE TOXICITY - ORAL: Category 5 (May be harmful if swallowed)

GHS - Precautionary Statement(s) - Prevention

- Keep away from heat/sparks/open flames/hot surfaces - No smoking
- Keep/Store away from clothing and other combustible materials
- Keep only in original container or container compatible with product (see Section 7 - Safe Storage Conditions)
- Do not breathe dust
- Do not get in eyes, on skin, or on clothing
- Wash skin and contaminated clothing thoroughly after handling
- Do not eat, drink or smoke when using this product
- Use only outdoors or in a well-ventilated area
- Avoid release to the environment
- Wear protective gloves/protective clothing/eye protection/face protection
- In case of inadequate ventilation, wear respiratory protection

TECHNICAL SODIUM CHLORITE (PESTICIDE)

SDS No.: M47022

Rev. Date: 01-Sep-2020

GHS - Precautionary Statement(s) - Response

- IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
- IF SWALLOWED: Rinse mouth. Do NOT induce vomiting
- Specific treatment for oral ingestion (see First Aid information on product label and/or Section 4 of the SDS)
- IF ON SKIN: Gently wash with plenty of soap and water
- IF EXPOSED (skin): Immediately call a POISON CENTER OR LICENSED HEALTH CARE PROVIDER
- If skin irritation occurs: Get medical advice/attention
- Remove/Take off immediately all contaminated clothing
- Wash contaminated clothing before reuse
- IF INHALED: Remove person to fresh air and keep at rest in a position comfortable for breathing
- IF INHALED: Immediately call a POISON CENTER OR PHYSICIAN
- Specific treatment is urgent if inhaled (see First Aid information on product label and/or Section 4 of the SDS)
- IF ON SKIN (or hair): Remove immediately all contaminated clothing. Rinse skin with water/shower
- Specific treatment for skin contact (see First Aid information in Section 4 of the SDS)
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- IF EXPOSED (skin/eye): Immediately call a POISON CENTER OR PHYSICIAN
- IF EXPOSED: Get medical advice/attention if you feel unwell
- In case of fire: Use flooding with copious amounts of water to extinguish. Do not use ABC fire extinguishers. Do not use dry chemicals, carbon dioxide, or halogenated extinguishing agents
- Absorb spillage to prevent material damage
- Collect spillage

GHS - Precautionary Statement(s) - Storage

- Store in a well-ventilated place. Keep container tightly closed
- Store in a secure manner
- Store in a corrosive resistant container with a resistant inner liner

GHS - Precautionary Statement(s) - Disposal

- Dispose of contents and container in accordance with applicable local, regional, national, and/or international regulations

Physical Hazards Not Otherwise Classified

- NFPA Class 3 Oxidizer (Oxidizers that will cause a severe increase in the burning rate of the combustible materials with which they come into contact or that will undergo vigorous self-sustained decomposition due to contamination or exposure to heat)

Hazard Not Otherwise Classified (HNOC)-Health

- Potential endocrine disruptor

See Section 11: TOXICOLOGICAL INFORMATION

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS Number	Percent [%]
Sodium Chlorite	7758-19-2	74 - 88
Sodium Chloride	7647-14-5	9 - 22
Water	7732-18-5	1 - 5

TECHNICAL SODIUM CHLORITE (PESTICIDE)

SDS No.: M47022

Rev. Date: 01-Sep-2020

SECTION 4. FIRST AID MEASURES

INHALATION: IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF INHALED: Call a POISON CENTER OR LICENSED HEALTH CARE PROVIDER if you feel unwell. If breathing is difficult, oxygen should be administered by qualified personnel.

SKIN CONTACT: IF ON SKIN (or hair): Remove immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. See specific treatment for skin contact below in this Section Under "Notes to Physicians". GET MEDICAL ATTENTION IMMEDIATELY.

EYE CONTACT: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF EXPOSED (eyes): Immediately call a POISON CENTER OR LICENSED HEALTH CARE PROVIDER. GET MEDICAL ATTENTION IMMEDIATELY.

INGESTION: IF SWALLOWED: Immediately call a POISON CENTER OR LICENSED HEALTH CARE PROVIDER. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. See additional information in "Notes to Physician" below in this Section. GET MEDICAL ATTENTION IMMEDIATELY.

Most Important Symptoms/Effects (Acute and Delayed):

Acute Symptoms/Effects:

Inhalation (Breathing): Breathing (Inhalation): Inhalation of airborne material may cause irritation, redness of upper and lower airways, coughing, laryngeal spasm and edema, shortness of breath, bronchio-constriction, and possible pulmonary edema. Severe and permanent scarring may occur. The pulmonary edema may develop several hours after a severe acute exposure.

Skin: Skin Corrosion. Skin exposure to gas or liquid may cause redness, irritation, burning sensation, swelling, blister formation, first, second, or third degree burns.

Eye: Serious Eye Damage. Exposure to eyes may cause irritation and burns to the eye-lids, conjunctivitis, corneal edema, and corneal burn. Significant and prolonged contact may cause damage to internal eye structures.

Ingestion (Swallowing): Ingestion: Exposure by ingestion may cause irritation, nausea, and vomiting. Oxidation may cause significant metabolic issues such as: methemoglobinemia, hemolysis, and intravascular coagulation and renal failure.

Delayed Symptoms/Effects:

- Repeated and prolonged skin contact may cause a dermatitis

Protection of First-Aiders: Protect yourself by avoiding contact with this material. Avoid contact with skin and eyes. Do not ingest. Use personal protective equipment. Refer to Section 8 for specific personal protective equipment recommendations. At minimum, treating personnel should utilize PPE sufficient for prevention of bloodborne pathogen transmission.

Notes to Physician: Treat as a corrosive due to the pH of this material. This is also a strong oxidizer which will react with tissue in the presence of water. For prolonged exposures and significant exposures, consider delayed injury to exposed tissues. There is no specific antidote. Treatment is supportive care. Follow normal parameters for airway, breathing, and circulation. Ingestion of even small amounts of solution should be closely monitored for

TECHNICAL SODIUM CHLORITE (PESTICIDE)

SDS No.: M47022

Rev. Date: 01-Sep-2020

methemoglobinemia, hemolysis, and glutathione depletion, followed by renal failure. This chemical acts similarly to its related compound chlorate, and produces a drug induced G6PD deficiency. Methylene blue has not been reported as effective. Consult the PubMed Case Report PMID 22996135 for the case description and treatment utilized. Chlorine dioxide vapors are emitted when this product contacts acids or chlorine. If these vapors are inhaled, monitor patient closely for delayed development of pulmonary edema which may occur up to 48-72 hours post-inhalation. Following ingestion, neutralization and use of activated charcoal is not indicated. In vitro studies have shown that activated charcoal does not adsorb chlorate/chlorite ions. The benefit of decontamination after ingestion is not certain and not recommended.

Interaction with Other Chemicals Which Enhance Toxicity: Mixing with ammonia, acids, detergents, or organic matter will release chlorinated compounds, which are irritating to eyes, lungs, and mucus membranes.

Medical Conditions Aggravated by Exposure: May aggravate preexisting conditions such as: Eye disorders that decrease tear production or have reduced integrity. Skin disorders that compromise the integrity of the skin. Respiratory conditions including asthma and other breathing disorders. Ingestion may induce G6PD deficiency, hemolysis and renal failure. G6PD deficiency, hemoglobinopathies, renal compromise, and conditions causing hypoxia may be aggravated by ingestion of this material.

SECTION 5. FIRE-FIGHTING MEASURES

Fire Hazard: Strong oxidizer. According to NFPA 400, this material is classified as a Class 3 Oxidizer. Class 3 Oxidizers will severely increase the burning rate of combustible materials with which they come in contact. In addition, they will cause sustained and vigorous decomposition if contaminated with a combustible material or if exposed to sufficient heat.

Explosive properties: This product may represent an explosion hazard if it contacts acids, chlorine, or organic materials (Refer to Sections 7 and 10).

Extinguishing Media: Use extinguishing agents appropriate for surrounding fire. Water is the only effective extinguisher of sodium chlorite.

Unsuitable Extinguishing Media: Water is the only effective extinguisher of sodium chlorite.

Unusual Hazards: Product can ignite on contact with combustible material; therefore, if sodium chlorite is spilled on clothing, remove and wash contaminated clothing at once to avoid the potential of fire.

Fire Fighting: Wear NIOSH approved positive-pressure self-contained breathing apparatus operated in pressure demand mode. Consider evacuation of personnel located downwind. Keep unnecessary people away, isolate hazard area and deny entry. Move container from fire area if it can be done without risk. Cool containers with water spray until well after the fire is out. Flood with fine water spray. Avoid inhalation of material or combustion by-products. Stay upwind and keep out of low areas.

Hazardous Combustion Products: Chlorine; Oxides of sodium

Sensitivity to Mechanical Impact: Avoid mechanical shock or impact, if contaminated.

Sensitivity to Static Discharge: Not sensitive.

TECHNICAL SODIUM CHLORITE (PESTICIDE)

SDS No.: M47022

Rev. Date: 01-Sep-2020

Lower Flammability Level (air): Not flammable

Upper Flammability Level (air): Not flammable

Flash point: Not applicable

Auto-ignition Temperature: Not applicable

GHS: PHYSICAL HAZARDS:

- Oxidizing Solid - Category 2 - May intensify fire; oxidizer
- Category 1 - May be corrosive to metals

Physical Hazards Not Otherwise Classified

- NFPA Class 3 Oxidizer (Oxidizers that will cause a severe increase in the burning rate of the combustible materials with which they come into contact or that will undergo vigorous self-sustained decomposition due to contamination or exposure to heat)
-

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions: Isolate hazard area and deny entry. Keep unnecessary and unprotected personnel from entering the area. Avoid contact with skin and eyes. DO NOT make airborne. DO NOT breathe dust. Wear appropriate personal protective equipment recommended in Section 8, Exposure Controls / Personal Protection, of the SDS.

Personal Protective Equipment: Cleanup personnel must wear proper protective equipment. For Unknown Concentrations or exposures above IDLH (Immediately Dangerous to Life or Health) - Any supplied-air respirator with full facepiece and operated in a pressure-demand or other positive-pressure mode in combination with a separate escape supply. Any self-contained breathing apparatus with a full facepiece. See section 8 for information on personal protective equipment.

Emergency Procedures: Evacuate unnecessary personnel and eliminate all sources of ignition. For other than minor leaks, immediately implement predetermined emergency plan. Restrict access to the area until cleanup is complete. Stop the release if it can be done safely from a distance. Prevent material and runoff from entering sewers and waterways if it can be done safely well ahead of the release. Sodium chlorite may represent an explosion hazard if it contacts acids or chlorine. If such contact is possible, evacuation procedures must be placed into effect. Cleanup personnel must wear proper protective equipment. Notify all downstream water users of possible contamination.

Environmental Precautions: This material is harmful to aquatic life. This material is alkaline and may raise the pH of surface waters with low buffering capacity. Keep out of water supplies and sewers. Should not be released into the environment. Releases should be reported, if required, to appropriate agencies. See Section 12 for additional ecological information.

Methods and Materials for Containment, Confinement, and/or Abatement: DO NOT use floor sweeping compounds to clean up spills. Dampen and scoop spilled material into clean, dedicated equipment. Do not dry sweep. Every attempt should be made to avoid mixing spilled material with other chemicals or debris when cleaning up. Keep collected material damp and put into drums. Dispose of in accordance with all applicable regulations.

TECHNICAL SODIUM CHLORITE (PESTICIDE)

SDS No.: M47022

Rev. Date: 01-Sep-2020

Recovery: Contact OxyChem Technical Service for confirmation of other types of absorbents before utilizing.

Neutralization: Due to the reactivity of sodium chlorite, neutralization for disposal purposes should be avoided whenever possible. Sodium chlorite neutralization procedures are available by contacting OxyChem Technical Service Department at 800-733-1165 option #1. Sodium chlorite neutralization procedures must be carried out ONLY by properly trained personnel wearing appropriate personal protective equipment and ONLY after thoroughly reviewing the neutralization procedures with manufacturer.

Final Disposal: Runoff may pollute waterways. If sodium chlorite is spilled or becomes a waste, it must be disposed of in accordance with local, state, and Federal regulations by a NPDES permitted out-fall or in a permitted hazardous waste treatment, storage, and disposal facility. For waste disposal, see section 13.

Additional Disaster Prevention Measures: Keep away from water supplies and sewers. Do not use combustible absorbents such as rags, sawdust, and other natural organic sorbents.

SECTION 7. HANDLING AND STORAGE

Handling:

Precautions for Safe Handling: Do not contaminate sodium chlorite with incompatible materials such as dirt, organic matter, oxidizers, reducing agents, chemicals, soap products, solvents, acids, paint products, or combustible materials. Do not store or transport sodium chlorite with incompatible materials. Use clean, dry utensils. Do not add the product to any dispensing device containing residuals of other products. Contamination may start a chemical reaction with generation of heat, liberation of hazardous gases (chlorine dioxide a poisonous, explosive gas), and possible fire and explosion. Triple rinse empty containers thoroughly with water and dispose of in accordance with label instructions. Do not drop, roll or skid drums.

Technical measures/precautions: All instrumentation should be designed to prevent possible solution freezing in the instrument. Greaseless lubricants should be used in mechanical equipment where there is a potential for leaks or spills. Pumps should not be operated against closed valves as this may result in heating solution above its decomposition temperature.

Other precautions: STRONG OXIDIZER. Contact with other materials may cause fire or explosion. MAY BE CORROSIVE TO METALS.

Prevention of contact: Avoid creation of dust or mist. Do not breathe dust or spray mist. Wash skin and contaminated clothing thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves, protective clothing, eye, and face protection. In case of inadequate ventilation, wear respiratory protection. Avoid release to the environment.

Storage:

Safe Storage Conditions: Store and handle in accordance with all current regulations and standards. (NFPA Oxidizer Class 3). Do not expose to moisture during storage. Store in the original container, in a cool, dry, well ventilated area away from direct sunlight. Always replace cover tightly. Mix only into water using a clean, dry scoop reserved for this product alone. Store in tightly closed, labeled containers away from combustible materials. Do not allow water to get in container. Store below 125 °F (52 °C). Avoid exposure to sunlight or ultraviolet light. Do not store or transport sodium chlorite with incompatible materials. Keep separated from incompatible substances (see below or Section 10 of the Safety Data Sheet). Sodium chlorite solutions exceeding 30% concentration have a greater potential to crystallize at ambient temperatures. Normally, these products should be diluted prior to storage. Where bulk storage of concentrated solutions is required, the tank must be placed in a temperature-controlled location to ensure

TECHNICAL SODIUM CHLORITE (PESTICIDE)

SDS No.: M47022

Rev. Date: 01-Sep-2020

that the product is maintained at a temperature above its crystallization point. Direct heat should not be applied to the storage tank.

Technical measures: Prohibit smoking inside locations where hazardous chemicals are store, demark with "No Smoking" signs at the main entrances and in the storage areas in a visible location. All equipment purchased for handling and storing sodium chlorite solutions should be verified by the manufacturer or vendor to be suitable for use with sodium chlorite. Use appropriate containment to avoid environmental contamination. The storage area should not be exposed to direct sunlight or ultraviolet light. It should be fire resistant and have an effective sprinkler system with good ventilation. Do not allow solution to evaporate to dryness; this product becomes a fire or explosion hazard if allowed to dry and can ignite in contact with combustible materials. Storage conditions should comply with the requirements established by the National Fire Protection Association's NFPA 1 – Uniform Fire Code and/or NFPA 400 – Hazardous Materials Code and/or the International Code Council's (ICC) International Fire Code. Since both NFPA and ICC codes are used throughout the U.S., consult with local fire departments to determine which codes apply.

Incompatible Substances: Acids, reducing agents, combustible material, oxidizing agents, hypochlorite, organic solvents and compounds, garbage, dirt, organic materials, household products, chemicals, soap products, paint products, vinegar, beverages, oils, pine oil, dirty rags, sulfur-containing rubber, or any other foreign matter.

Packaging Material: Any containers used to store sodium chlorite solutions should be constructed of one of the following materials:

1. Fiberglass reinforced polyester with Hetron 922 resin or equivalent, color natural, with UV protection, and no internal insulation
2. High density polyethylene (HDPE)
3. Titanium.

Additional Information:

GHS: PHYSICAL HAZARDS:

- Oxidizing Solid - Category 2 - May intensify fire; oxidizer
- Category 1 - May be corrosive to metals

Physical Hazards Not Otherwise Classified

- NFPA Class 3 Oxidizer (Oxidizers that will cause a severe increase in the burning rate of the combustible materials with which they come into contact or that will undergo vigorous self-sustained decomposition due to contamination or exposure to heat)

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

REGULATORY EXPOSURE LIMIT(S):

This product does not contain any components that have regulatory occupational exposure limits (OELs) established.

NON-REGULATORY EXPOSURE LIMIT(S):

This product does not contain any components that have advisory (non-regulatory) occupational exposure limits (OEL's); however, the manufacturer has established internal Recommended Exposure Level(s) [REL(s)] as noted below.

Recommended Exposure Limits (REL's) are non-regulatory occupational exposure limits that the manufacturer has established based on health effects data.

TECHNICAL SODIUM CHLORITE (PESTICIDE)

SDS No.: M47022

Rev. Date: 01-Sep-2020

Component	OXY REL 8 hr TWA	OXY REL STEL	OXY REL Ceiling
Sodium Chlorite 7758-19-2 (74 - 88 %)	1 mg/m ³	Not applicable	Not applicable

ENGINEERING CONTROLS: Use only in well-ventilated areas. Provide local exhaust ventilation where dust or mist may be generated. Where sodium chlorite dust may be present, ventilation of the work area should be accomplished as necessary to maintain concentrations in air below 1 mg/m³.

PERSONAL PROTECTIVE EQUIPMENT:

Eye Protection: Wear chemical safety goggles. Where splashing or spraying is possible, use a face-shield in addition to chemical protective goggles. Provide an emergency eyewash fountain and quick drench shower in the immediate work area.

Skin and Body Protection: Use protective clothing chemically resistant to this material. Selection of specific items such as face shield, boots, apron, or full body suit will depend on the task. Remove contaminated clothing immediately, wash skin area with water, and launder clothing before reuse or dispose of properly. Clothing should be rinsed with water before disposal.

Hand Protection: Wear appropriate chemical resistant gloves. Consult a glove supplier for assistance in selecting an appropriate chemical resistant glove.

Protective Material Types: Neoprene

Respiratory Protection: A NIOSH approved respirator with N95 (dust, fume, mist) cartridges may be permissible under certain circumstances where airborne dust concentrations are expected to exceed exposure limits, or when symptoms have been observed that are indicative of overexposure. If chlorine or chlorine dioxide is present, an acid gas cartridge is also required. An approved self-contained breathing apparatus operated in the pressure demand mode or an airline respirator with escape pack is required when an air purifying respirator is not adequate or for spills / emergencies of unknown concentrations. A respiratory protection program that meets 29 CFR 1910.134 must be followed whenever workplace conditions warrant use of a respirator.

HYGIENE MEASURES: Obtain proper training prior to use. An emergency eye wash fountain and quick drench shower should be provided in the immediate work area. Good housekeeping practices are important where sodium chlorite is used. All spills should be contained and immediately recovered or flushed with water into a chemical sewer or a segregated holding tank or pond provided for the specific purpose of neutralization. Sodium chlorite must never be flushed to sanitary sewer or other outlet connecting to waterways to uncontrolled runoff streams. Contact local and federal authorities for applicable regulations.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	Solid
Appearance:	Flakes
Color:	White
Odor:	Chlorine
Molecular Weight:	90.45

TECHNICAL SODIUM CHLORITE (PESTICIDE)

SDS No.: M47022

Rev. Date: 01-Sep-2020

Molecular Formula:	NaClO ₂
Chemical Family:	Sodium Chlorite
pH:	12 @ 25 C (25% solution)
Melting Point/Range:	356-392 F (180-200 C)
Freezing Point/Range:	Not applicable to solids
Flash point:	Not applicable
Vapor Pressure:	Not applicable
Vapor Density (air=1):	Not applicable
Density:	69 lbs/ft ³ (packed)
Water Solubility:	39% @ 25 C
Partition Coefficient (n-octanol/water):	No data available
Auto-ignition Temperature:	Not applicable
Decomposition Temperature:	356-392F (180-200C) (°F)
Odor Threshold [ppm]:	No data available
Evaporation Rate (ether=1):	Not applicable
Flammability (solid, gas):	Not flammable
Lower Flammability Level (air):	Not flammable
Upper Flammability Level (air):	Not flammable
Viscosity:	Not applicable

SECTION 10. STABILITY AND REACTIVITY

Chemical Stability: Stable at normal temperatures and pressures.

Reactivity: Not reactive under normal temperatures and pressures.

Possibility of Hazardous Reactions: Avoid heat, flames, sparks and other sources of ignition. Avoid contamination with foreign materials. Avoid exposure to sunlight or ultraviolet light.

Conditions to Avoid (e.g., static discharge, shock, or vibration): Avoid mechanical shock or impact, if contaminated.

Incompatible Substances: Acids, reducing agents, combustible material, oxidizing agents, hypochlorite, organic solvents and compounds, garbage, dirt, organic materials, household products, chemicals, soap products, paint products, vinegar, beverages, oils, pine oil, dirty rags, sulfur-containing rubber, or any other foreign matter.

Hazardous Decomposition Products: Chlorine dioxide is formed on contact with acids, Thermal decomposition products include chlorine and oxides of sodium.

Hazardous Polymerization: Will not occur.

SECTION 11. TOXICOLOGICAL INFORMATION

POTENTIAL HEALTH EFFECTS:

TECHNICAL SODIUM CHLORITE (PESTICIDE)

SDS No.: M47022

Rev. Date: 01-Sep-2020

ACUTE TOXICITY:

Eye contact: Causes serious eye damage. Eye exposures may cause burns to the eye lids, conjunctivitis, corneal edema, and corneal burn. May cause permanent eye damage including blindness. Significant and prolonged contact may cause damage to the internal eye structures.

Skin contact: Contact causes skin irritation. Direct contact with wet material or by moist skin may cause severe irritation, pain, and possibly burns. Severe burns have been fatal. Acute dermal toxicity was dependent on the product concentration and its physical state. The most concentrated existing form (80%) induced severe cutaneous reactions and necrosis, which may have enhanced the irritant properties and systemic availability of the product leading to an LD50 of 134 mg/kg body weight. Conversely, the 31% solution induced at most mild skin irritation thus limiting the systemic passage of the product to the blood and leading to an LD50 higher than 2000 mg/kg body weight. Dermal absorption of a 30% liquid solution ranges approximately 5 - 10%.

Inhalation: May be fatal if inhaled. Inhalation may cause coughing, irritation (possibly severe), redness of upper and lower airways, shortness of breath, chemical burns and possibly pulmonary edema. Pulmonary edema may develop several hours after a severe acute exposure.

Ingestion: Toxic if swallowed. Ingestion may cause irritation, nausea, and vomiting. Causes significant metabolic issues through oxidation. May induce methemoglobinemia, hemolysis, and intravascular coagulation and renal failure.

CHRONIC TOXICITY:

Sodium chlorite has produced hemolytic anemia in several animal species at concentrations of 100 mg/L or higher. In a subchronic study using rats, hematological alterations included decreased erythrocyte counts, hemoglobin levels, and hemacrit. Methemoglobin levels decreased in females, but increased in males. There is no evidence of kidney effects in humans; however, in animal studies with sodium chlorite, there is limited evidence of kidney effects. Repeated and prolonged skin contact may result in dermatitis.

SIGNS AND SYMPTOMS OF EXPOSURE:

Signs and symptoms of exposure vary, and are dependent on the route of exposure, degree of exposure, and duration of exposure.

Inhalation (Breathing): Breathing (Inhalation): Inhalation of airborne material may cause irritation, redness of upper and lower airways, coughing, laryngeal spasm and edema, shortness of breath, bronchio-constriction, and possible pulmonary edema. Severe and permanent scarring may occur. The pulmonary edema may develop several hours after a severe acute exposure.

Skin: Skin Corrosion. Skin exposure to gas or liquid may cause redness, irritation, burning sensation, swelling, blister formation, first, second, or third degree burns.

Eye: Serious Eye Damage. Exposure to eyes may cause irritation and burns to the eye-lids, conjunctivitis, corneal edema, and corneal burn. Significant and prolonged contact may cause damage to internal eye structures.

Ingestion (Swallowing): Ingestion: Exposure by ingestion may cause irritation, nausea, and vomiting. Oxidation may cause significant metabolic issues such as: methemoglobinemia, hemolysis, and intravascular coagulation and renal failure.

Interaction with Other Chemicals Which Enhance Toxicity: Mixing with ammonia, acids, detergents, or organic matter will release chlorinated compounds, which are irritating to eyes, lungs, and mucus membranes.

GHS HEALTH HAZARDS:

GHS: CONTACT HAZARD - SKIN: Category 1B - Causes severe skin burns and eye damage

GHS: CONTACT HAZARD - EYE: Category 1 - Causes serious eye damage

GHS: ACUTE TOXICITY - ORAL: Category 3 - Toxic if swallowed

TECHNICAL SODIUM CHLORITE (PESTICIDE)

SDS No.: M47022

Rev. Date: 01-Sep-2020

GHS: ACUTE TOXICITY - INHALATION: Category 2 - Fatal if inhaled
GHS: ACUTE TOXICITY - DERMAL: Category 2 - Fatal in contact with skin
GHS: TARGET ORGAN TOXICITY (REPEATED EXPOSURE): Category 2 - May cause damage to blood, spleen, and stomach through prolonged or repeated exposure

TOXICITY DATA:**PRODUCT TOXICITY DATA:**

LD50 Oral: 278 mg/kg (Rat)	LD50 Dermal: 134 mg/kg (Rabbit)	LC50 Inhalation: 0.29 mg/L (4 hr-Rat)
--------------------------------------	---	---

COMPONENT TOXICITY DATA: The component toxicity data is populated by the LOLI database and may differ from the product toxicity data given.

Component	Oral LD50	Dermal LD50	Inhalation LC50
Sodium Chlorite	165 mg/kg (Rat)	107.2 mg/kg (Rabbit)	230 mg/m ³ (4-h Rat)

Eye Irritation/Corrosion: The product is classified as causing serious eye injury (Category 1, H318), according to criteria of the GHS.

Skin Irritation/Corrosion: This product is classified as causing severe skin burns (Category 1, H314), according to GHS classification criteria.

Skin Absorbent / Dermal Route: MAY BE FATAL IF ABSORBED THROUGH SKIN.

CARCINOGENICITY: There is inadequate evidence for the carcinogenicity of sodium chlorite in experimental animals. No data were available from studies in humans on the carcinogenicity of sodium chlorite. This product is not classified as a carcinogen by NTP, IARC or OSHA. Not classified as a carcinogen per GHS criteria.

SPECIFIC TARGET ORGAN TOXICITY (Single Exposure): The substance is not classified as a specific target organ toxicant after single exposure per GHS criteria.

SPECIFIC TARGET ORGAN TOXICITY (Repeated or Prolonged Exposure): This product is classified as GHS Category 2 and may cause damage to blood, spleen, and stomach through prolonged or repeated exposure.

INHALATION HAZARD: Inhalation is not likely from vapors due to low vapor pressure; however, if mists are inhaled may cause respiratory tract irritation. Its action in the respiratory tract is due to its strong oxidizing capability. Symptoms of pulmonary congestion and edema may develop after a latency period of several hours following severe acute exposure to dust or mists.

GERM CELL/IN-VITRO MUTAGENICITY: Not classified as a mutagen per GHS criteria. Sodium chlorite has tested positive in some studies. The significance of these test results for human health is unclear because the oxidizing effects of the chlorite or salting effects of sodium may significantly affect the ability of the tests to accurately detect mutagens.

REPRODUCTIVE TOXICITY: Not classified as a reproductive toxin per GHS criteria. There is limited evidence of male reproductive effects in animal studies.

DEVELOPMENTAL TOXICITY: Not classified as a developmental or reproductive toxin per GHS criteria. Observations in animal studies include decreased serum levels of thyroid hormones in offspring.

TECHNICAL SODIUM CHLORITE (PESTICIDE)

SDS No.: M47022

Rev. Date: 01-Sep-2020

ASPIRATION HAZARD: Not classified as an aspiration hazard per GHS criteria.

TOXICOKINETICS: The time taken to absorb 50% of the dose for sodium chlorite was 3.5 ± 1.06 hours. The absorption rate constant was 0.198 ± 0.06 /hour. The time taken to eliminate 50% of the dose from the plasma when detected as ^{36}Cl was 35.2 ± 3.0 hours. After 72 h, radioactivity from chlorite was found at the highest level in the plasma, followed by stomach, testes, skin, lung, duodenum, kidney, carcass, spleen, ileum, bone marrow and liver. In blood, chlorite levels were distributed evenly between plasma and packed cells. For sodium chlorite, 87 and 13% of initial dose ($^{36}\text{-Cl}$) was found in urine and feces, respectively. $^{36}\text{-Cl}$ was not detected in expired air throughout the 72 hour time period. Chloride, chlorite and chlorate were found in rat urine 72 hours after the administration. The major metabolite was chloride, representing 31.6% of the initial dose of chlorite.

METABOLISM: May metabolize to form elevated chloroform levels in the liver and brain but not in blood.**BIOLOGICAL DISTRIBUTION:** See Toxicokinetics above.**PATHOGENICITY AND ACUTE INFECTIOUSNESS (ORAL, DERMAL, AND INHALATION):** Not applicable.

ENDOCRINE DISRUPTOR: Sodium chlorite is listed on The Endocrine Disruptors Exchange's (TEDX) List of Potential Endocrine Disruptors database of chemicals with the potential to affect the endocrine system. Every chemical on the TEDX List has one or more verified citations published, accessible, primary scientific research demonstrating effects on the endocrine system.

NEUROTOXICITY: Not Available.**IMMUNOTOXICITY:** Not available.**Hazard Not Otherwise Classified (HNOC)-Health**

- Potential endocrine disruptor

SECTION 12. ECOLOGICAL INFORMATION**ECOTOXICITY (EC, IC, and LC):**

Component:	Freshwater Fish:	Invertebrate Toxicity:	Algae Toxicity:	Other Toxicity:
Sodium Chlorite	*LC50 Brachydanio rerio: 100 - 500 mg/L 96h static *LC50 Lepomis macrochirus: 100 mg/L 96h static *LC50 Oncorhynchus mykiss: 100 mg/L 96h static	*EC50 Daphnia magna: 0.026 mg/L 48h *EC50 Daphnia magna: 0.012 - 0.018 mg/L 48h *EC50 Daphnia magna: 0.25 - 0.33 mg/L 48h	No data available	No data available

Aquatic Toxicity:LC50 Rainbow trout = 290 mg/l as 80% NaClO₂ (96 hour)LC50 Bluegill = 265-310 mg/l as 80% NaClO₂ (96 hour)

LC50 Sheepshead minnow = 62-90 ppm (96 hour).

TECHNICAL SODIUM CHLORITE (PESTICIDE)

SDS No.: M47022

Rev. Date: 01-Sep-2020

Invertebrate Toxicity:

LC50 Daphnia Magna = 0.29 mg/L as 80% NaClO₂ (48 hour)

Other Toxicity:

LD50 Mallard duck = 0.49-1.00g/kg as 80% NaClO₂ (gavage)

LD50 Bob White quail = 0.39 - 0.66 g/kg as 80% NaClO₂ (gavage)

Sodium chlorite in the diet of birds was not acutely toxic. Eight-day dietary LC50's in the Mallard duck and Bob White quail were > 5,000 ppm

FATE AND TRANSPORT:

PERSISTENCE: This material will eventually degrade to sodium chloride.

BIODEGRADATION: This material is inorganic and not subject to biodegradation; however, chlorite ions are reduced by some bacteria under anaerobic conditions. Sodium chlorite is a strong oxidizing agent and under proper reducing conditions is readily reduced to chloride, and to a lesser extent, chlorate. In strong acidic conditions, chlorite can change into chlorine dioxide.

BIOCONCENTRATION: This material will not bioaccumulate.

BIOACCUMULATIVE POTENTIAL: Bioaccumulation in aquatic species test does not need to be conducted as the substance has a low potential for bioaccumulation (a log Kow < 3) and is an inorganic substance.

MOBILITY IN SOIL: Not applicable.

SECTION 13. DISPOSAL CONSIDERATIONS

Waste from material:

Dispose in accordance with all applicable regulations. Do not put product, spilled product, or filled or partially filled containers into the trash or waste compactor. Contact with incompatible materials could cause a reaction and fire. Due to the reactivity of sodium chlorite, neutralization for disposal purposes should be avoided whenever possible. Sodium chlorite neutralization procedures are available by contacting OxyChem Technical Service Department at 800-733-1165 option #1. Sodium chlorite neutralization procedures must be carried out ONLY by properly trained personnel wearing appropriate personal protective equipment and ONLY after thoroughly reviewing the neutralization procedures with manufacturer. Sodium chlorite is toxic to fish and aquatic organisms. Keep out of water supplies and sewers. If sodium chlorite is spilled or becomes a waste, it must be disposed of in accordance with local, state, and Federal regulations by a NPDES permitted out-fall or in a permitted hazardous waste treatment, storage, and disposal facility.

Container Management:

Container management: Containers are non-refillable. Do not reuse or refill containers. Offer for recycling if available. Offer for reconditioning if appropriate. Triple rinse container promptly after emptying. Container rinsate must be disposed of in compliance with applicable regulations. Container management: Do not reuse or refill this container. Offer for recycling if available. Offer for reconditioning if appropriate. Triple Rinse container promptly after emptying. Triple Rinse as follows: Empty remaining contents into application equipment or a mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure

TECHNICAL SODIUM CHLORITE (PESTICIDE)

SDS No.: M47022

Rev. Date: 01-Sep-2020

two more times. Container rinsate must be disposed of in compliance with applicable regulations.

Contaminated Material:

Dispose according to appropriate regulations.

SECTION 14. TRANSPORT INFORMATION**LAND TRANSPORT****U.S. DOT 49 CFR 172.101:**

UN NUMBER: UN1496
PROPER SHIPPING NAME: Sodium chlorite
HAZARD CLASS/ DIVISION: 5.1
PACKING GROUP: II
LABELING REQUIREMENTS: 5.1
MARINE POLLUTANT: Yes

Special provisions for transport: A9, IB8, IP2, IP4, N34, T3, TP33.

Packaging Exceptions: None.
Non-bulk Packaging: 212.
Bulk Packaging: 242.

CANADIAN TRANSPORTATION OF DANGEROUS GOODS:

UN NUMBER: UN1496
SHIPPING NAME: Sodium chlorite
CLASS OR DIVISION: 5.1
PACKING/RISK GROUP: II
LABELING REQUIREMENTS: 5.1
CAN. MARINE POLLUTANT: Marine Pollutant

MARITIME TRANSPORT (IMO / IMDG)

UN NUMBER: UN1496
PROPER SHIPPING NAME: Sodium Chlorite
HAZARD CLASS / DIVISION: 5.1
Packing Group: II
LABELING REQUIREMENTS: 5.1
MARINE POLLUTANT: Marine Pollutant

AIR TRANSPORT (ICAO / IATA)

Special Instructions CAO: IATA Certificate for shipping personnel is required

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code.

TECHNICAL SODIUM CHLORITE (PESTICIDE)

SDS No.: M47022

Rev. Date: 01-Sep-2020

SECTION 15. REGULATORY INFORMATION**U.S. REGULATIONS****OSHA REGULATORY STATUS:**

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

CERCLA SECTIONS 102a/103 HAZARDOUS SUBSTANCES (40 CFR 302.4):

If a release is reportable under CERCLA section 103, notify the state emergency response commission and local emergency planning committee. In addition, notify the National Response Center at (800) 424-8802 or (202) 426-2675.

SARA EHS Chemical (40 CFR 355.30)

Not regulated.

EPCRA SECTIONS 311/312 HAZARD CATEGORIES (40 CFR 370.10):

Acute Health Hazard, Chronic Health Hazard, Fire Hazard

SARA HAZARD CATEGORIES ALIGNED WITH GHS (2018):

Physical Hazard - Oxidizer (liquid, solid or gas)
 Physical Hazard - Corrosive to Metal
 Health Hazard - Acute Toxin (any route of exposure)
 Health Hazard - Skin Corrosion or Irritation
 Health Hazard - Serious eye damage or eye irritation
 Health Hazard - Specific Target Organ Toxicity (STOT) Repeat Exposure (RE)

EPCRA SECTION 313 (40 CFR 372.65):

Not regulated.

DEPARTMENT OF HOMELAND SECURITY (DHS)- Chemical Facility Anti-Terrorism Standards (6 CFR 27):

Not likely to be regulated based on composition level of component below in formulation

Component	DHS - Security Issues	DHS-Sabotage Screening Threshold Qnty.	DHS-Sabotage Min. Conc.	DHS-Theft Screening Threshold Qnty.	DHS-Theft Min. Conc.	DHS-Release Screening Threshold Qnty.	DHS-Release Min. Conc.	CWC Toxic Chemicals:
Sodium Chlorate 7775-09-9 (0 - 4)	Theft - Explosives/Improvvised Explosive Device Precursors	Not Listed	Not Listed	400 lb STQ	a commercial grade	Not Listed	Not Listed	Not Listed

OSHA PROCESS SAFETY (PSM) (29 CFR 1910.119):

Not regulated.

FIFRA REGULATIONS: Registered pesticide under 40 CFR 152.10, Federal Insecticide, Fungicide and Rodenticide Act (FIFRA). EPA Reg. No. 5382-42 (Technical Sodium Chlorite).

FIFRA LABELING REQUIREMENTS: - This chemical is a pesticide product registered by the United States Environmental Protection Agency (EPA) and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data

TECHNICAL SODIUM CHLORITE (PESTICIDE)

SDS No.: M47022

Rev. Date: 01-Sep-2020

sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.

- FIFRA Signal Word - DANGER
- Corrosive
- Causes irreversible eye damage and skin burns
- May be fatal if swallowed
- Irritating to nose and throat
- This product is toxic to fish and aquatic organisms
- Danger: strong oxidizing agent
- Mix only into water
- Contamination may start a chemical reaction with generation of heat, liberation of hazardous gases (chlorine dioxide a poisonous, explosive gas), and possible fire and explosion
- Do not contaminate with moisture, garbage, dirt, organic matter, household products, chemicals, soap products, paint products, solvents, acids, vinegar, beverages, oils, pine oil, dirty rags, or any other foreign matter
- Do not use moist or damp utensils

FDA: This material has Generally Recognized As Safe (GRAS) status under specific U.S. Food and Drug Administration (FDA) regulations, for specified applications. Additional information is available from the Code of Federal Regulations, which is accessible on the FDA's website. Only food grade product meets the FDA's Food Safety Modernization Act (FSMA) requirements, and is guaranteed to be produced under all current Good Manufacturing Practices (cGMP) requirements as defined by the FDA. Food grade product is produced in a facility that is accredited as a Safe Quality Food (SQF) Level 2 Facility, certified under the Global Food Safety Initiative (GFSI), and meets the Food Chemical Codex (FCC) requirements.

EPA'S CLEAN WATER AND CLEAN AIR ACTS:

Component(s) not listed on impacted regulatory lists.

NATIONAL INVENTORY STATUS**U.S. INVENTORY STATUS: Toxic Substance Control Act (TSCA):**

Component	TSCA Inventory	TSCA ACTIVE LIST	TSCA 12(b)	TSCA - Section 4	TSCA - Section 5	TSCA - Section 6	TSCA - Section 8
Sodium Chlorite 7758-19-2	Listed	ACTIVE	Not Listed	Not listed	Not Listed	Not listed	Not listed
Sodium Chloride 7647-14-5	Listed	ACTIVE	Not Listed	Not listed	Not Listed	Not listed	Not listed
Sodium Chlorate 7775-09-9	Listed	ACTIVE	Not Listed	Not listed	Not Listed	Not listed	Not listed

CANADIAN CHEMICAL INVENTORY: All components of this product are listed on either the DSL or the NDSL.

Component	DSL	NDSL
Sodium Chlorite 7758-19-2 (74 - 88)	Listed	Not Listed
Sodium Chloride 7647-14-5 (9 - 22)	Listed	Not Listed
Sodium Chlorate 7775-09-9 (0 - 4)	Listed	Not Listed

STATE REGULATIONS

TECHNICAL SODIUM CHLORITE (PESTICIDE)

SDS No.: M47022

Rev. Date: 01-Sep-2020

California Proposition 65:

This product and its ingredients are not listed on the California Governor's current list of Carcinogens, Reproductive Toxicants, and/or Candidate Carcinogens (Proposition 65), but it may contain trace amounts of impurities that are listed. For additional information, contact OxyChem Customer Relations.

Component	California Proposition 65 Cancer WARNING:	California Proposition 65 CRT List - Male reproductive toxin:	California Proposition 65 CRT List - Female reproductive toxin:	Massachusetts Right to Know Hazardous Substance List	Rhode Island Right to Know Hazardous Substance List
Sodium Chlorite	Not Listed	Not Listed	Not Listed	Listed	Not Listed
Sodium Chloride	Not Listed	Not Listed	Not Listed	Not Listed	Not Listed
Sodium Chlorate	Not Listed	Not Listed	Not Listed	Listed	Listed

Component	New Jersey Right to Know Hazardous Substance List	New Jersey Special Health Hazards Substance List	New Jersey - Environmental Hazardous Substance List	Pennsylvania Right to Know Hazardous Substance List	Pennsylvania Right to Know Special Hazardous Substances	Pennsylvania Right to Know Special Hazardous Substances	Pennsylvania Right to Know Environmental Hazard List
Sodium Chlorite	1689	corrosive; reactive - second degree	Not Listed	Listed	Not Listed	Not Listed	Not Listed
Sodium Chloride	Not Listed	Not Listed	Not Listed	Not Listed	Not Listed	Not Listed	Not Listed
Sodium Chlorate	1688	reactive - second degree	Not Listed	Listed	Not Listed	Not Listed	Not Listed

CANADIAN REGULATIONS

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.

Component	Canada - CEPA - Schedule I - List of Toxic Substances	Canada - NPRI	Canada - CEPA - 2010 Greenhouse Gases (GHG) Subject to Mandatory Reporting	CANADIAN CHEMICAL INVENTORY:	NDSL:
Sodium Chlorite 7758-19-2 (74 - 88)	Not listed	Not Listed	Not Listed	Listed	Not Listed
Sodium Chloride 7647-14-5 (9 - 22)	Not listed	Not Listed	Not Listed	Listed	Not Listed
Sodium Chlorate 7775-09-9 (0 - 4)	Not listed	Not Listed	Not Listed	Listed	Not Listed

PCP Registration:

- This product is registered as a pesticide in Canada under PCP Reg No. 25361

SECTION 16. OTHER INFORMATION

Prepared by: Occidental Chemical Corporation - HES&S Product Stewardship Department

Rev. Date: 01-Sep-2020

Reason for Revision:

- Scheduled review

TECHNICAL SODIUM CHLORITE (PESTICIDE)

SDS No.: M47022

Rev. Date: 01-Sep-2020

- Change of company physical address: SEE SECTION 1
- Product Name and/or Trade Name(s) has been revised: SEE SECTION 1
- Updated Customer Service Contact Information: SEE SECTION 1
- Included additional information for other usage that may be restricted and/or prohibited: SEE SECTION 1
- Emergency Overview was revised: SEE SECTION 2
- GHS Symbol(s) added or changed: SEE SECTION 2
- Changed the GHS classification: SEE SECTION 2
- Modified GHS Hazard and Precautionary Statements: SEE SECTION 2
- Added or revised Hazards Not Otherwise Classified: SEE SECTION 2
- Added Health Hazards Not Otherwise Classified: Section 2 and 11
- The formulation has been revised: SEE SECTION 3
- Updated First Aid Measures: SEE SECTION 4
- Change to "Note to Physician" (added/ changed/ or deleted): SEE SECTION 4
- Modified Fire Fighting Measure Recommendations: SEE SECTION 5
- Added Physical Hazards Not Otherwise Classified to format: SEE SECTIONS 5&7
- Revised Accidental Release Measures: SEE SECTION 6
- Revised Handling and Storage Recommendations: SEE SECTION 7
- PPE recommendations have been modified: SEE SECTION 8
- Added Hygiene Measures SEE SECTION 8
- Updated Physical and Chemical Properties. SEE SECTION 9
- Toxicological Information has been revised: SEE SECTION 11
- Ecological Information has been modified: SEE SECTION 12
- Updated Disposal Considerations. SEE SECTION 13
- Updated Transportation Information: SEE SECTION 14
- Regulatory Information Changes: SEE SECTION 15
- Revised SARA Hazard Categories 311/312 HAZARD CATEGORIES (40 CFR 370.21): SEE SECTION 15
- Added LOLI tables such as EPA'S Clean Water / Air Act, TSCA status, DHS, PSM, EPCRA, CERCLA, Federal Canadian: SEE SECTION 15
- Added Department of Homeland Security Anti-Terrorism Information: SEE SECTION 15
- Modified SARA Hazard Categories Aligned with GHS (2018): SEE SECTION 15
- WHMIS Classifications were removed from format: SEE SECTION 15
- Updated TSCA Status Table: SEE SECTION 15

IMPORTANT:

The information presented herein, while not guaranteed, was prepared by technical personnel and is true and accurate to the best of our knowledge. NO WARRANTY OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE, OR WARRANTY OR GUARANTY OF ANY OTHER KIND, EXPRESSED OR IMPLIED, IS MADE REGARDING PERFORMANCE, SAFETY, SUITABILITY, STABILITY OR OTHERWISE. This information is not intended to be all-inclusive as to the manner and conditions of use, handling, storage, disposal and other factors that may involve other or additional legal, environmental, safety or performance considerations, and Occidental Chemical Corporation assumes no liability whatsoever for the use of or reliance upon this information. While our technical personnel will be happy to respond to questions, safe handling and use of the product remains the responsibility of the customer. No suggestions for use are intended as, and nothing herein shall be construed as, a recommendation to infringe any existing patents or to violate any federal, state, local or foreign laws.

OSHA Standard 29 CFR 1910.1200 requires that information be provided to employees regarding the hazards of chemicals by means of a hazard communication program including labeling, safety data sheets, training and access to written records. We request that you, and it is your legal duty to, make all information in this Safety Data Sheet available to your employees.

TECHNICAL SODIUM CHLORITE (PESTICIDE)

SDS No.: M47022

Rev. Date: 01-Sep-2020

End of Safety Data Sheet